

Radio Shaek

Model

4

Quick

Reference

Guide

© Copyright 1983 by Radio Shack, A Division of Tandy Corporation

Contents

Start-Up	4
TRSDOS	4
Commands and Utilities	4
Error Messages	4
BASIC	4
Statements and Functions	4
Control Keys	4
Operators	4
Edit Commands	4
Special Characters	4
Error Messages	44
Internal Codes	4

Start-Up

Make sure all floppy disk drives are empty and all equipment is off.

- Turn on all peripheral equipment (such as a printer), except the hard disk.
- 2. Hard disk users: Turn on the primary hard disk drive.
- 3. Turn on the computer.
- 4. Insert a system diskette into Drive 0 and close the drive door. TRSDOS displays its start-up message.
- TRSDOS prompts you for the date. Enter it in the mm/dd/yy format.
- The following system prompt will appear on your screen:

TRSDOS Ready

Now, you can type in a TRSDOS command.

7. To start BASIC, type:

BASIC (ENTER)

and you see the BASIC prompt:

Ready

represents a value that you supply. Information within brackets is optional.

Now, you can type in a BASIC command.

This Quick Reference Guide is divided into two sections: TRSDOS and BASIC.

Information which is non-shaded (like this) pertains to:

- TRSDOS intermediate commands and utilities.
- BASIC statements

Information which is shaded like this pertains to:

- TRSDOS advanced commands and utilities
- BASIC functions



Commands and Utilities

Those parts of the command line that you must enter are **highlighted**. Information that is upper-case should be typed in exactly as is. Information that is lower-case represents a value that you supply. Information within brackets is optional.

APPEND source [TO] destination [(ECHO,STRIP)]
Adds one disk file onto the end of another.

ATTRIB file (USER = "password",OWNER = "password",
PROT = level, VIS,INV)

Changes the protection of a file. The *level* can be EXEC, READ, UPDATE, WRITE, RENAME, REMOVE, or FULL.

ATTRIB CUSTFILE/DAT:1 (USER="", OWNER="BOSSMAN",PROT=READ,VIS)

ATTRIB [:drive] (LOCK,UNLOCK,MPW="password", NAME="disk name", PW=["password"])

Changes the protection of files on a drive.

ATTRIB :1 (NAME="DATA",PW="SECRET",
MPW="BOSSMAN")

AUTO [:drive, ?:drive, =:drive] [*] [command line]
Stores a command line for automatic execution each time TRSDOS starts up. (AUTO by itself deletes the current AUTO command line.)

AUTO BASIC AUTO *DO INIT/JCL:1

BACKUP [file]:source drive [TO] :destination drive [(MPW = "password",SYS, INV, MOD, QUERY = YES, OLD, NEW, X, DATE = "date")]
Duplicates a system or data diskette. (file can be a

partial name.)

BACKUP : 0 : 1

BACKUP (MOD, QUERY, MPW="SECRET")

BOOT [CLEAR), ENTER, (D)]
Resets the system.

воот

BUILD file [(HEX,APPEND)]

Creates an input file for JCL, KSM, and other TRSDOS commands.

BUILD MYPROGA/FIX:0 BUILD DISPLAY/BLD (HEX)

CLICK/FLT
SET device [TO] CLICK/FLT
FILTER *KI device
Establishes the key-click filter.



COM/DVR

SET *CL [TO] COM/DVR

Prepares the Communications Line (*CL) for use.

COMM device[(XLATES = X'aabb', XLATER = X'aabb', XON = X'cc', XOFF = X'cc', NULL = OFF)]

Lets two computers communicate via a device.

CONV [file]:source drive [:destination drive] [(VIS, INV, SYS, NEW, OLD, QUERY = NO, DIR)]

Converts files from a TRSDOS 1.3 (Model III) diskette onto a TRSDOS Version 6 formatted diskette. (*file* can be a partial name.)

CONV :1 :0 (VIS,Q=NO)

COPY source [TO] destination [(LRL = nnn,

CLONE = NO, ECHO, X)

Copies data from one file or device to another.

COPY TEST/DAT TO :1

COPY *KI TO *PR (ECHO)

CREATE file [(LRL = number, REC = number, SIZE = number)]

Creates a file and reserves space on the disk for future use.

CREATE INVENT/DAT (SIZE=20)

DATE [mm/dd/yy]

Sets or displays the current date.

DATE 08/09/82 DATE

DEBUG [(ON, OFF)] [(EXT)]

Sets up the debug monitor for testing and debugging machine-language programs.

DEBUG DEBUG (OFF)

DEVICE [(D = NO, B = YES, S = NO, P = YES)]
Displays the current status of each drive and the

options in use.

DEVICE DEVICE (B=YES)

DIR [file] [:drive] [(ALL,INV,MÓD,NON,PRT,SYS,DATE,DATE="date",SORT=NO)]

Lists the directory of a drive or file. (*file* can be a partial name.)

DIR :1 DIR (DATE="10/01/81-")

DO[S,=,*] **file** [(@label.parm=value)] [;]

Compiles and executes a DO file.

DO DRIVE/JCL DO = DRIVE/JCL

DUMP file (START = address, END = address, TRA = address, ASCII, ETX = value)

Copies an area of memory to a disk file.

DUMP ROUTINE/CMD

(START=X'7000',END=X'8000',
TRA=X'7000')

FILTER device [USING] phantom device

Filters data to or from a device, using a filter program.

FILTER *PR USING *DU

FORMAT :drive (ABS,NAME = "disk name",

MPW = "password", SDEN, DDEN, CYL = number,

QUERY = NO)

Formats a blank or old disk for use.

FORMAT

FORMAT :1 (NAME="DATA3",

MPW="SECRET")

FORMS [(DEFAULT, ADDLF, CHARS = number, FFHARD,

INDENT = number, LINES = number,

MARGIN = number, PAGE = number, QUERY, TAB,

XLATE = X'aabb')

Sets up printer options.

FORMS (MARGIN=10, CHARS=80, INDENT=6)

FORMS/FLT

SET *PF [TO] FORMS/FLT

FILTER *PR *PF

Prepares the Printer Filter (*PF) for use.

FREE [:drive] [(PRT)]

Lists free space and number of files on each disk; if drive is specified, displays space map of that disk.

FREE FREE :0 (PRT)

JOBLOG

ROUTE *JL [TO] file

ROUTE *JL [TO] device

Establishes the Joblog device (*JL), which sends certain information to a file or device.

ROUTE *JL TO LISTER/JBL

ROUTE *JE TO *PR

KSM/FLT

SET device KSM/FLT [USING] file

[(ENTER = value)]

FILTER *KI device

SET *DU KSM/FLT USING ROUTINE/KSM

FILTER *KI *DU

LIB

Displays library commands.

LINK device [TO] device2

Links two logical devices.

LINK *DO *PR

LIST file [(ASCII8,NUM,HEX,TAB = number,PRT, LINE = number, REC = number, LRL = number)] Lists contents of a file to the display or printer. LIST TESTFILE: Ø LIST MONITOR/CMD (PRT)

LOAD [(X)] file

Loads a program file into memory.

LOAD STATUS/CMD

LOAD (X) PROGRAM/CIM

MEMDISK/DCT

SYSTEM (DRIVE = drive, DRIVER = "MEMDISK")
Adds to the system a pseudo floppy drive which keeps its files in memory.

SYSTEM (DRIVE=2, DRIVER="MEMDISK")

MEMORY ((CLEAR = value, HIGH = address, LOW = address, ADD = address, WORD = word, BYTE = byte, GO = address)] Reserves a portion of memory, sets or displays current HIGH\$ and LOW\$, modifies a memory address, or jumps to a specified memory location. MEMORY MEMORY (ADD=X'E100', WORD=X'3E0A')

PATCH file (patch commands)

Changes the contents of a disk file.

PATCH MONITOR/CMD (X'E100'=C3 66 00)

PATCH file1 USING file2 [(YANK.REMOVE)]

Makes changes contained in file2 to file1.

PATCH BACKUP/CMD: Ø USING SPECIAL/FIX

PURGE [file]:drive [(QUERY=NO, MPW="password", INV.SYS, DATE="date")]

Deletes files. (file can be a partial name.)

PURGE: 0 (MPW="SECRET")

PURGE /BAS:1 (Q=N)

REMOVE file [file] ...

Deletes files from the directory.

REMOVE ALPHA/DAT: 0 BREAKER/DAT: 0

REMOVE device [device] ...

Removes devices from the device table.

REMOVE *LU

RENAME file1 [TO] file2

RENAME devicel [TO] device2

Changes the name of a file or device.

RENAME TEXT/DAT: 0 TO OLD/DAT

RENAME **ID TO **TX

REPAIR : drive

Updates system information on disks which were formatted under Model I TRSDOS.

REPAIR :1

RESET device RESET file

Returns a device to its original start-up condition. Closes an open file.

RESET *PR RESET PRINTER/DAT

ROUTE device1 [TO] device2

ROUTE device [TO] file [(REWIND)]

ROUTE device (NIL)

Routes a device to another device, to a disk file, or to nothing (NIL).

ROUTE *PR *DO

ROUTE *PR TO PRINTER/DAT

[RUN] [(X)] file [(command text)]

Loads and executes a program. command text is optional values the program may require.

RIIN CONTROL/CMD CONTROL/CMD

_ _ _ _ _ _

SET device [TO] driver file [(parameters)]

Assigns a driver program to a device. *parameters* are optional values the driver program may require.

SET *SP TO SERIAL/DRV

SET phantom device [TO] filter file [USING]

[parameters]

Assigns a filter program to a phantom device. parameters are optional values the filter program may require.

SET *LC TO TRAP/FLT

SETCOM [(DEFAULT, BAUD = number, WORD =

number, STOP = number, PARITY = switch, QUERY, BREAK = value, EVEN, ODD)]

Sets up RS-232C communications or display status. SETCOM (BAUD=300, WORD=8, STOP=1,

PARITY=OFF)

_

SETKI [(DEFAULT, RATE = number, WAIT = number, QUERY)]

Sets keyboard repeat values. (SETKI by itself displays current values.)

SETKI (DELAY=15)

SPOOL [device] [TO] [file] (NO, MEM = number, BANK = number, DISK = number, PAUSE,

RESUME, CLEAR)

Establishes an output buffer for a device.

SPOOL *PR TO TEXTFILE:0

(MEM=5+DISK=15) SPOOL *PR (NO)

SYSGEN [(switch)] [(DRIVE = drive)]

Stores current system options in a file (CONFIG/SYS) on *drive*. If *switch* is NO, the configuration file is removed.

SYSGEN (YES) (DRIVE=4) SYSGEN (NO)

SYSTEM (parameters)

Selects certain options of your TRSDOS system. In the following SYSTEM commands, *switch* is YES or NO.

SYSTEM (ALIVE[= switch])

Displays a moving character when task processor is running.

SYSTEM (BLINK = switch)

SYSTEM (BLINK = number)

SYSTEM (BLINK, [LARGE, SMALL)

Control the cursor character.

SYSTEM (BREAK[=switch])

Enables or disables BREAK key.

SYSTEM (DATE[= switch])

Turns on or off the start-up date prompt.

SYSTEM (DRIVE = drive, [CYL = number,

DELAY = NO/YES, DISABLE, ENABLE,

DRIVER = "file", WP = switch])
Sets parameters for drive.

SYSTEM (SYSRES = number)

Adds TRSDOS system overlays into high memory.

SYSTEM (SYSTEM = drive)

Assigns drive as system drive.

SYSTEM (TIME[= switch])

Turns on or off the start-up time prompt.

SYSTEM (TRACE[= switch])

Displays contents of Program Counter.

SYSTEM (TYPE[= switch])

Turns on or off the KI/DVR type-ahead feature.

TAPE100

TAPE100 file1 [TO] file2 (READ, WRITE)

Reads a Model 100 cassette tape file and writes it to a disk file, or reads a disk file and writes it to cassette tape.

TAPE100 PRNTER TO PRINT/DAT:0 (READ)

TIME [hh:mm:ss] [(CLOCK=YES/NO)]
Sets the time or displays current time.
TIME TIME 12:29:34

VERIFY [(switch)]
Sets VERIFY function on or off.
VERIFY (YES) VERIFY (NO)

44

Error Messages

Number	Message	Explanation/ Action
7 X'07'	Attempted to read locked/deleted data record	Check for error in program
6 X'06'	Attempted to read system data record	Check for error in program
5 X'05'	Data record not found during read	Try again; use another disk; refor- mat old disk
13 X'0D'	Data record not found during write	Try again; use another disk
39 X'27'	Device in use	Reset device in use before REMOVEing it
8 X'08'	Device not available	Check device specifi- cation; make sure peripheral is ready
30 X′1E′	Directory full—can't extend file	Copy files to new disk
17 X'11'	Directory read error	Try another drive or disk
18 X'12'	Directory write error	Try another disk
27 X'1B'	Disk space full	Write file to a disk with more available space
28 X'1C'	End of file encountered	Check for error in program
63	Extended error	Error code is in HL register
25 X′19′	File access denied	Use correct pass- word; use no pass- word for unprotected file
41 X'29'	File already open	Use RESET to close the file
24 X'18'	File not in directory	Check spelling of filespec
38 X'26'	File not open	Open file before access
20 X'14'	GAT read error	Try another drive
21 X'15'	GAT write error	Try another drive or disk
22 X'16'	HIT read error	Try another drive



23 X′17′	HIT write error	Try another drive or disk
37 X'2 5 '	Illegal access attempted to pro- tected file	OWNER password is required for the requested access
32 X'20'	Illegal drive number	Drive is not in system or not ready for access
19 X′13′	Illegal file name	Use proper filespec syntax
16 X′10′	Illegal logical file number	Check for error in program
34 X'22'	Load file format error	Attempt was made to load a non-program file
3 X′0 3 ′	Lost data during read	Try another drive or disk
11 X′0B′	Lost data during write	Try another drive or disk
42 X'2 A'	LRL open fault	COPY file to another file that has the specified LRL
33 X'21'	No device space available	REMOVE non- system devices to provide more space
26 X'1A'	No directory space available	Use a different disk or REMOVE unwanted files
0 X'00'	No error	Check for error in program
1 X'01'	Parity error during header read	Try another drive or disk
9 X'09'	Parity error during header write	Try another drive or disk
4 X'04'	Parity error during read	Try another drive or disk
12 X'0 C '	Parity error during write	Try another drive or disk
31 X'1F'	Program not found	Check spelling of filespec; check for proper disk in drive
40 X'28'	Protected system device	System devices can- not be REMOVEd
29 X'1D'	Record number out of range	Provide correct record number or try another copy of the file

2 X'02'	Seek error during read	Set step rate with SYSTEM command or try another drive or disk
10 X'0A'	Seek error during write	Set step rate with SYSTEM command or try another drive or disk
	Unknown error code	Check for error in program
14 X'0E'	Write fault on disk drive	Try another disk or drive
15 X'0E'	Write protected disk	Remove write- protect tab or write enable disk using SYSTEM command

BASIC Statements and Functions

Terms:

integer:

A whole number from -32768 to 32767

string

a sequence of characters which is to be taken verbatim

dummy number or dummy string:

a number or string used in an expression to meet syntactic requirements, but whose value is insignificant.

ABS (number)

Computes the absolute value of number.

Y = ABS(X)

ASC (string)

Returns the ASCII code for the first character of string. PRINT ASC ("A")

ATN (number)

Computes the arctangent of *number*; returns the value in radians.

Y = ATN(X/3)

AUTO [line] [,increment]

Automatically generates line numbers every time you press (ENTER). AUTO begins numbering at *line* and displays the next line using *increment*.

AUTO AUTO 1000, 100 AUTO , 5

CALL address [parameter list]

Transfers program control to an assembly-language subroutine stored at *address*. The *parameter list* contains the values to be passed to the external subroutine.

CDBL (number)

Converts number to double precision.

Y# = CDBL(N*3)

CHR\$ (code)

Returns the corresponding character of the ASCII or control code.

PRINT CHR#(35)



CHAIN [MERGÉ] *tilespec* [.line] [.ALL] [.DELETE line - line]

Loads a BASIC program named *filespec*, chains it to a "main" program, and begins running it. The *line* is the first line to be run in the CHAINed program. The ALL option passes every variable in the main program to the CHAINed program. The MERGE option "overlays" the lines of *filespec* with the main program. The DELETE option erases lines in the overlay so that you can MERGE in a new overlay.

CINT (number)

Converts number to integer representation. PRINT CINT(17,65)

CLEAR [.memory location] [.stack space]
Clears the value of all variables and closes all open files. Optionally, it also sets the highest memory location for BASIC and the amount of stack space.

CLEAR CLEAR, 75 CLEAR, 61000, 200

CLOSE buffer....

Closes access to a file. The buffer number (the same used to OPEN the file) may be from 1 to 15.

CLOSE 1, 2, 8

CLOSE FIRST% + COUNT%

CLS

Clears the screen.

COMMON variable....

Passes one or more variables to a CHAINed program.

100 COMMON A, B, C, D(), G\$

110 CHAIN "PROG3", 10

CONT

Resumes execution of a program when it has been stopped by the **BREAK** key or by a STOP or an END statement in the program.

COS (number)

Computes the cosine of number. Y = COS(X * .01745329)

CSNG (number)

Converts number to single precision. CSNG(• 1453885509)

CVD(8-byte string)

Restores the string value to a numeric value.

A# = CVD (GROSSPAY\$)

CVI (2-byte string)

Restores the string value to a numeric value.

CVS (4-byte string)

Restores the string value to a numeric value.

DATA constant....

Stores numeric and string constants to be accessed by a READ statement.

1340 DATA NEW YORK, CHICAGO, LOS ANGELES, PHILADELPHIA, DETROIT 1350 DATA 2.72, 3.14159, 0.0174533, 57.29578

DATES

Returns today's date.

PRINT DATES

DEFDBL/INT/SNG/STR

DEFDBL letter,...
DEFINT letter,...
DEFSNG letter,...
DEFSTR letter,...

Defines any variables beginning with the *letter(s)* as: (DBL) double precision, (INT) integer, (SNG) single precision, or (STR) string.

10 DEFDBL L-P 10 DEFINT I-N, W, Z 10 DEFSNG I, Q-T 10 DEFSTR A

DEF FN function name [(argument,...)] = function definition

Defines function name according to function definition. The argument represents those variables in the function definition that are to be replaced when the function is called.

DEF FNR=RND(90)+9

DEFUSR [digit] = address

Defines the starting *address* for *digit* assembly-language subroutines.

DEFUSR3 = &H7D@@DEFUSR = (BASE + 16)

DELETE line1 - line2

Deletes from line1 to line2 of a program in memory.

DELETE 70 DELETE 50-110 DELETE

DIM array (dimension(s)), array (dimension(s)),... Sets aside storage for the arrays with the dimensions you specify.

DIM AR(100) DIM L1%(8,25)

EDIT line

Enters the edit mode so that you can edit *line*.
EDIT 100 EDIT

END

Ends execution of a program. END

EOF(buffer)

Detects the end of a file.

IF EOF(1) THEN GOTO 1540

ERASE array,...

Erases one or more *arrays* from a program.

ERL

Returns the line number in which an error has occurred.

PRINT ERL E = ERL

ERR

Returns the error code (if an error has occurred).

IF ERR = 7 THEN 1000 ELSE 2000

ERR\$

Returns a system error number and message.
PRINT "THE LATEST TRSDOS ERROR IS
"TERR\$

ERROR code

Simulates the error associated with *code* during program execution.

ERROR 1

EXP (number)

Calculates the natural exponential of number. PRINT EXP(-2)

FIELD buffer, length AS field name,...

Divides a direct-access *buffer* into one or more fields. Each field is identified by the *field name* and is the *length* you specify.

FIELD 3, 128 AS A\$, 128 AS B\$

FIX (number)

Returns the truncated integer of number.
PRINT FIX(2,6)

FOR/NEXT

FOR variable = initial value TO final value [STEP increment

Establishes a program loop.

20 FOR H=1 TO 2 STEP -2

FRE(dummy number)

Returns the amount of free memory space. PRINT FRE(44)

FRE(dummy string)

Returns the amount of free string space.

PRINT FRE("44")

GET buffer [,record number]

Gets a record from a direct disk file and places it in a huffer

GET 1 GET 1, 25

GOSUB line

Goes to a subroutine, beginning at the specified line. GOSUB 1000

GOTO line

Goes to the specified line.

GOTO 100

HEX\$ (number)

Calculates the hexadecimal value of number.

PRINT HEX\$(30), HEX\$(50), HEX\$(90)

IF...THEN...ELSE

IF expression THEN statement(s) or line ELSE [statement(s)] or [line]

Tests a conditional expression and makes a decision regarding program flow.

IF X > 127 THEN PRINT "OUT OF RANGE" : END

IF A < B THEN PRINT "A < B" ELSE PRINT "B < A"

INKEYS

Returns a keyboard character.

A\$ = INKEY\$

INP(port)

Returns the byte read from a port. Port may be any integer from 0 to 255.

100 A=INP(255)

INPUT\$ (number [,buffer])

Inputs a string of *number* characters from either the keyboard or a sequential disk file. The *number* must be a value from 1 to 255.

A\$ = INPUT\$(5) A\$ = INPUT\$(11,3)

INPUT ["prompt string";] variable1, variable2,... Inputs data to a program during execution.

INPUT# buffer, variable,...

Inputs data from a sequential disk file into one or more variables.

INPUT#1, A, B INPUT#4, A\$, B\$, C\$

INSTR([integer].string1, string 2)

Searches for the first occurrence of string 2 in string 1 and returns the position at which the match is found.

INSTR (A\$, "12")

INT(number)

Converts number to integer value.
PRINT INT(79.89)

LEFT\$(string, integer)

Returns all characters left of position *integer* in the *string*.

PRINT LEFT\$("BATTLESHIPS", 6)

LEN(string)

Returns the number of characters in *string*.

X = LEN(SENTENCE\$)

KILL filespec from the disk.

KILL "FILE/BAS" KILL "DATA:2"

LET variable = expression

Assigns the value of expression to variable.

LET A\$ = "A ROSE IS A ROSE"

LET B1 = 1.23

LINE INPUT[:] [prompt message:] string variable inputs a line from the keyboard.

LINE INPUT A\$

LINE INPUT# buffer, variable

Reads a line of data from a sequential-access file into a string *variable*. The *buffer* is the number used when the file was OPENed.

LINE INPUT# 1, A\$

LIST [startline] - [endline]

Lists program lines to the display.

LIST 50 LIST 50-85 LIST-227

LLIST [startline] - [endline]

Lists program lines to the line printer.

LLIST 780 LLIST 50- LLIST.-

LOAD filespec [,R]

Loads filespec, a BASIC program, into memory. If R is used, the program is RUN automatically.

LOAD "PROG1/BAS:2"

LOAD "PROG1/BAS"

LOC buffer

Returns the current record number.

IF LOC(1)>55 THEN END

LOF buffer

Returns the end-of-file record number.

Y = Lof(5)

LOG(number)

Computes the natural logarithm of *number*.

PRINT LOG(3.14159)

Z = 10*LOG(PS/P1)

LPOS (number)

Returns the position of the line printer's print head within the line printer's buffer.

100 IF LPOS(X)>60THEN PRINT CHR\$(13)

LPRINT data,...

Prints data at the printer.

LPRINT (A * 2)/3

LPRINT USING format; data,...

Prints data at line printer, using a specified format.

LPRINT USING "####,#"; 2,17

LSET field name = data

Sets data in a direct-access buffer field name. The data is left-justified.

LSET NM\$ = "JIM CRICKET, JR."

MEM

Returns the amount of memory.

PRINT MEM

MERGE filespec

Loads *filespec*, a BASIC program, and merges it with the program currently in memory.

MERGE "PROG2/TXT"

MID\$ (old string, position, length) = replacement
string

Replaces a portion of old string with replacement string.

MID\$ (A\$, 3, 4) = "12345": PRINT A\$

MID\$ (string, integer [number])

Returns a substring of the *string*, beginning with the *integer* character, *Number* is the number of characters to include in the substring.

MID\$ (A\$, 3, 2)

MKD\$(integer expression)

Converts integer expression to a string value and returns the 8-byte string.

MKI\$(single-precision expression)

Converts single-precision expression to a string value and returns the 2-byte string.

MKS\$(double-precision expression)

Converts double-precision expression to a string value and returns the 4-byte string.

NAME old filespec AS new filespec

Renames old filespec as new filespec.

NAME "FILE" AS "FILE/OLD"

NEW

Erases a program from memory and clears all variables.

NEW

OCT\$(number)

Computes the octal value of *number*.

PRINT OCT\$(30), OCT\$(50),

OCT\$ (9Ø)

ON ERROR GOTO line

Goes to a subroutine at the *line* specified by the value of *number*.

10 ON ERROR GOTO 1500

ON expression GOSUB line,...

Goes to a subroutine at the *line* specified by the value of expression

ON L-1 GOSUB 1000, 2000, 3000

ON expression GOTO line, line...

Goes to the line specified by the value of expression.

ON X GOTO 190, 200, 210

OPEN mode, buffer, filespec [,record length]

Opens a disk file in the specified mode. (O for sequential output, I for sequential input, D or R for direct input/output, and E for sequential extend).

OPEN "O", 1, "CLIENTS/TXT"

OPEN "D", 5, "TESTED/BAS", 64

OPTION BASE n

Sets *n* as the minimum value for an array subscript. OPTION BASE 1

OUT port, data byte

Sends data byte to a machine output port.

100 OUT 32,100

PEEK(memory location)

Returns a byte from memory location.

A = PEEK (8H5A00)

POKE memory location, data byte

Writes a data byte into memory location.

10 POKE 15360, 191

POS(number)

Returns the position of the cursor. Number is a dummy argument.

PRINT TAB(40) POS(0)

PRINT @ location,

PRINT @ (row, column),

Specifies where printing is to begin.

PRINT TAB(n)

Moves the cursor to the *n* position on the current line (or on succeeding lines if you specify TAB positions greater than 79).

PRINT TAB(5) "TABBED 5";

TAB(25) "TABBED 25"

PRINT# buffer, item 1, item 2....

Prints data items in a sequential disk file.

PRINT#1 + A +B

PUT buffer (,record)

Puts a record in a direct-access file. Buffer is the number used to OPEN the file.

PUT 1 + 25 PUT 1

RANDOM

Reseeds the random number generator.

READ variable 1, variable 2

Reads values from a DATA statement and assigns them to *variables*.

READ T READ S\$, T, U

REM

Inserts a remark line into a program and instructs the computer to ignore the rest of the program line.

2000 INPUT A :REM INPUT SINGLE-PRECISION

RENUM new line, line [,increment]

Renumbers a program, starting at the specified *line* and numbering it as *new line*. The optional *increment* sets the increment to be used between each line number.

RENUM RENUM 6000, 5000, 100

RESTORE line

Restores a program's access to previously read DATA statements.

RESTORE

RESUME [line] RESUME NEXT

Resumes program execution after an error-handling routine has been performed. RESUME *line* causes BASIC to branch to the specified line. RESUME NEXT causes it to branch to the statement following the point at which the error occurred.

RESUME RESUME 10 RESUME NEXT

RETURN

Returns control to the line immediately following the most recently executed GOSUB.

RETURN

RIGHT\$(string, number)

Returns the last *number* characters of the *string*.

PRINT RIGHT ("WATERMELON", 5)

RND(number)

Generates a pseudorandom number between 0 and the *number*. The *number* must be greater than 0 and less than 32768.

A = RND(2) A = RND(45)
PRINT RND(0)

ROW (number)

Returns the row position of the cursor. *Number* is a dummy argument.

X = ROW(Y)

ROW(number)

Returns the row position of the cursor. *Number* is a dummy argument.

X = ROW(Y)

RSET field name = data

Places data in a direct-access buffer field name.

RSET NM\$ = "JIM CRICKET, JR,"

RUN [line]

RUN filespec [,R]

RUN or RUN line runs the program that is in memory.
RUN filespec loads a program from disk, then runs it.
RUN "PROGRAM/A" RUN "EDITDATA", R

SAVE filespec [,A] [,P]

Saves a program in a disk under *filespec*. A causes the file to be stored in ASCII format. P causes the file to be stored in an encoded binary format.

SAVE "FILE1/BAS.JOHNQDOE:3" SAVE "MATHPAK/TXT", A

SGN (number)

Determines *number*'s sign. If *number* is positive, SGN returns 1. If it is negative, SGN returns – 1. If it is zero, SGN returns 0.

Y = SGN(A * B)

SIN(number)

Computes the sine of *number*; the *number* must be in radians.

PRINT SIN(7,96)

SPACES\$(number)

Returns a string of *number* spaces. The *number* must be from 0 to 255.

PRINT "DESCRIPTION" SPACES(4)

SPC(number)

Prints a line of *number* blanks. The *number* must be from 0 to 255.

PRINT "HELLO" SPC(15) "THERE"

SQR(number)

Calculates the square root of *number*.

PRINT SQR(155.7)

STOP

Stops program execution. STOP

STRING\$(number, character)

Returns a string of the specified *number* of characters. The *number* must be from 0 to 255. The *character* is a string or an ASCII code.

B\$ = STRING\$(25, "X")
PRINT STRING(50, 10)

STR\$(number)

Converts number into a string. If the number is positive, STR\$ places a blank before the string.

SWAP variable 1, variable 2

Exchanges the values of two variables.

SYSTEM [command]

Returns to TRSDOS. If you specify a command, TRSDOS executes it and returns you to BASIC.

SYSTEM SYSTEM "DIR"

TAB(number)

Spaces to position *number* on the display. The *number* must be from 0 to 255.

PRINT A\$ TAB(25) B\$

TAN(number)

Computes the tangent of *number*. The *number* must be in radians. If it is in degrees, use TAN (*number* * .11745329). The result is always single precision. PRINT TAN (7, 96)

TIMES

Returns the time (in 24-hour format).

A\$ = TIME\$

TROFF

Turns off the trace function.

TRON

Turns on the trace function (to follow program flow).
TRON

USR[digit] (expression)

Calls the user's assembly-language subroutine identified by *digit* and passes the result of *expression*.

X = USR5(Y)

VAL(string)

Calculates the numeric value of *string*. VAL terminates its evaluation on the first character that has no meaning in a numeric term.

PRINT VAL("100 DOLLARS")

VARPTR variable or buffer

Returns the absolute memory address. When used with a variable, VARPTR returns the address of the first byte of data identified with variable. When used with a buffer, it returns the address of the file's data buffer.

Y = USR1(VARPTR(X))

WAIT port, integer [,integer 2]

Suspends program execution until a machine input port develops a specified bit pattern.

100 WAIT 32,2

WHILE expression

WEND

Executes a series of statements in a loop as long as a given condition is true.

WHILE...WEND

WRITE data

Prints data on the display.

WRITE A+B+C\$

WRITE# buffer data....

Writes data to a sequential file.

WRITE#1, A\$,B\$

Control Keys

Command Mode

Backspaces the cursor, erasing the preceding character in the line.

SPACEBAR

Backspaces the cursor, erasing the preceding character in the line.

Enters a blank space character and advances the cursor one space.

Interrupts line entry and starts over with

a new line.

CTRL J

a new line.

Line feed — Starts a new physical line

without ending the current logical line.
Switches to either all upper case or all

(CAPS) lower case.
(ENTER) Ends and enters the current logical line.

Execution Mode

SHIFT Pauses execution. Press any other key

(except (BREAK)) to continue.

(BREAK) Terminates execution and returns to

command mode.

[ENTER] Interprets data entered from the keyboard

with the INPUT statement.

Operators

Each operator or group of operators is precedent over

the group below it.
() (Paren

XOR EQV IMP

+,- (Unary negative, positive)

*,/ (Multiplication, division)

(Integer division)

MOD (Modulus)

MOD (Modulus) +,- (Addition, subtraction)

>,<, =, < =, > =, <> (Relational tests)
NOT
AND
OR



Edit Commands

Moves the cursor to the beginning of

(**A**)

n SPACEBAR

the line and cancels editing changes. n(BACKSPACE) Moves the cursor n spaces to the left. If no n is given, moves cursor one space to the left. $n(\mathbf{C})$ Lets you change n characters. beginning at the current cursor position. n(D) Deletes n characters to the right of the (E) Ends editing and saves all changes. ENTER Records all changes and exits edit mode. (ESC) Escapes from an insert subcommand (I, H, or X). (H) Deletes the rest of a line and lets you insert material at the current cursor position. (**T**) Lets you insert material at the current cursor position. n(K)c Deletes all characters up to the nth occurrence of character c and moves the cursor to that position. (L) Lists the line. **(1)** Quits edit mode and cancels all changes. n(S)C Searches for nth occurrence of



Special Characters

add material at the end.

that position.

character c and moves the cursor to

Moves the cursor *n* spaces to the right. Displays the rest of the line and lets you

,	(apostrophe) Abbreviation for :REM.
,	(comma) PRINT punctuation; spaces
	over to the next 16-column PRINT zone.
;	PRINT punctuation; separates items in
	a PRINT list but does not add spaces
	when they are output.
;	Separates statements on the same line.
	Indicates current line; use with EDIT
	and LIST commands.
D	Used in double-precision exponential
	notation.
Ε	Used in single-precision exponential
	notation.
%	Makes variable integer-precision.
!	Makes variable single-precision.
#	Makes variable double-precision.
\$	Makes variable string type.

Error Messages

Code	Abbreviation	Explanation
1	NF	NEXT without FOR
2 3	SN	Syntax error
	RG	Return without GOSUB
4	OD	Out of data
5	FC	Illegal function call
6	OV	Overflow
7	OM	Out of memory
8	UL	Undefined line
9	BS	Subscript out of range
10	DD	Redimensioned array
11	/0	Division by zero
12	<u>ID</u>	Illegal direct
13	TM	Type mismatch
14	os	Out of string space
15	LS	String too long
16	ST	String formula too
17	ON	complex
17 18	CN UF	Can't continue
19	UF	Undefined user function
20		No RESUME
21		RESUME without error
22		Unprintable error
23		Missing operand Line buffer overflow
26		
29		FOR without NEXT WHILE without WEND
30		WEND without WHILE
50		AACIAD MILIOUL AAIJIEC



Disk Errors

Field overflow
Internal error
Bad file number
File not found
Bad file mode
File already open
Device I/O error
File already exists
Disk full
Input past end
Bad record number
Bad file name
Direct statement in file
Too many files

Internal Codes

Keyword	Code	Keyword	Code
ABS AND ASC ATN AUTO CALL CDBL CHAIN CHIS CINT CLEAR CLOSE CLS COMMON CONT COS CSNG CVI CVS DATA DATES DEF DEFIDBL DEFISTR DELETE DIM EDIT ELSE END EOF ERASE ERR ERROR ERRS\$ EXP FIELD FIX FN FOR FRE GET GOSUB GOTO HEX\$ IF RSET RUN SAVE SGN	65414 248 65429 65422 171 182 65438 185 65430 65436 146 195 159 184 153 654420 65452 65452 65452 65450 65451 132 222 151 176 174 175 173 170 134 167 162 129 65453 251 166 215 216 168 223 65419 192 65439 212 130 654439 212 130 654439 212 130 654439 212 130 654439 212 130 654439 212 130 654439 212 130 654439 212 130 654439 212 130 654439 212 130 654439 212 130 654439 212 130 654439 212 138 202 138 203 654112	IMP INKEY\$ INPUT INST INPUT INST INF INST INF INST INST INST INST INST INST INST INST	252 224 65424 133 219 65413 200 65409 65426 177 147 158 65454 65455 65418 65435 157 201 225 197 65411 65438 131 214 65433 149 156 65431 152 65425 145 157 158 199 148 131 214 65433 149 156 65431 157 158 159 169 169 169 169 169 169 169 169 169 16

SIN	65417	VARPTR	221
SOUND	205	WAIT	150
SPACE\$	65432	WEND	181
SPC	213	WHILE	180
SQR	65415	WIDTH	161
STEP	210	WRITE	183
STOP	144	XOR	250
STR\$	65427	+	243
STRING\$	217	_	244
SWAP	165	*	245
SYSTEM	189	/	246
TAB	209	^	247
TAN	65421	\	254
THEN	208	,	220
TIME\$	226	>	240
TO	207	=	241
TROFF	164	<	242