

## INDEX

- @, 19, 20
- ?, 57
- 24-hour notation, 22
- Addition, 23
- Algorithm
  - definition of, 45
  - implementation of, 50
  - precision, 47
  - summary, 45-49
  - testing an, 46, 49, 50
- ALPHA program
  - demonstration of, 26
  - development of, 44-50
- APPROX program
  - demonstration of, 30
- Approximation
  - Fourier series demonstration, 30
- Array
  - definition of, 75
  - programming technique, 46-49
- ASCII, 9, 37, 38, 39
- Assembly language, 8
- Assignment of value, 24
- Autoscaling
  - definition of, 29
  - example of, 29, 34
- Background of screen, 3
- Backslash (\) delimiter, 24
- BARGRAPH routine, 9, 28
  - example of, 4
- BASIC
  - MINC, 2, 8, 9, 26, 28, 43
  - program
    - definition of, 26
    - demonstration
      - ALPHA, 26, 27, 44-50
      - TRIG, 27
    - programming, 10
- Block
  - description of, 6
- BOX routine, 28
- Branch
  - conditional, 46
  - unconditional, 46
- Brand
  - example of, 34
- Calculation
  - multiple, 24
  - simple, 23
- Capacity of screen, 18
- Character
  - deletion of, 19
  - description of, 6
  - modes, 3
- Characteristics of terminal
  - altering, 18
- Chassis
  - description of, 5
  - illustration of, 2
  - ports, 5, 37, 38
  - power switch, 13, 53
  - powering, 14
- CIN routine, 38
- Column
  - display mode, 3
  - number per line, 24

## INDEX

- Comma delimiter, 24
- Command
  - control, 18
  - description of, 6, 26
  - syntax, 24
- Commands
  - COPY, 27, 30, 42
  - DIRECTORY, 26
  - EDIT, 9
  - HELP, 35
  - INITIALIZE, 9
  - LIST, 27, 30, 42
  - OLD, 42
  - RUN, 8, 25, 27, 28, 30, 33, 41
- Computer
  - instruction, 7, 8, 43
  - operation, 8, 26
  - system, 1
- Conditional branch, 46
- CONSOLE port, 38
- Control
  - command, 18
  - program, 46, 49
- COPY command, 27, 30, 42
- Correcting operation problems, 53-55
- COUT routine, 38, 39
- Creating
  - files
    - data, 8
    - HELP, 36
    - programs, 8, 43
- CTRL key, 18
- Cursor, 13, 25, 28
- Data
  - description of, 6, 7, 8
  - file
    - creation of, 8
    - storage, 17
  - graphic display of, 28
  - processing, 9, 43
  - transfer of, 37, 38, 43
  - word, 37
- Date
  - format, 21
  - function, 20
- DELETE key, 18, 19, 21, 23
- Deletion, 19
- Delimiters, 24
- Demonstration
  - diskette, 11, 19, 25
  - master diskette, 16, 17, 19
  - program
    - BASIC, 26, 27, 44-50
    - description, 7, 8, 11, 17
    - graphic, 28, 30, 33
    - serial ASCII, 37-39
- Devices
  - optional, 11
  - serial line, 5
- DIGITAL
  - notifying, 59
  - owner name, 20
- Directory
  - file, 26
  - owner name, 20
  - volume identifier, 20
- Diskette
  - demonstration
    - creating a, 20
    - description of, 11, 16, 17, 19, 25
  - description of, 5
  - drive units, 5
  - handling a, 15
  - illustration of, 6
  - inserting a, 14
  - MiniMINC, 16
  - preparing a, 9
  - system
    - creating a, 20
    - description of, 7, 17
    - exerciser, 17
  - user
    - creating a, 20
    - description of, 7, 17, 36
- Documentation for MiniMINC, 1, 10
- Display
  - graphic, 28
  - mode, 3
  - split screen, 9
- Division, 24
- Drive
  - description, 5
  - loading a, 16
  - opening a, 14
  - unit number, 19, 20
- EDIT command, 9
- Editing text, 18
- Editor
  - description of, 8
  - EDIT command, 9
- EIA standard RS-232C, 2, 5, 37
- Environment, 57
- Equipment
  - description of, 1
  - preparation of, 10
  - testing, 52
- Error message
  - compendium, 57

- definition of, 24, 36, 57
- environment, 57
- fatal, 58
- informational, 58
- severity, 58
- text, 58
- unlisted, 59
- warning, 58
- Executing programs, 25
- Fatal error message, 58
- Feature
  - editing, 9
  - HELP, 7, 17
  - new, 52
  - repeat, 19
- FFT routine, 9
- File
  - description, 6-8
  - directory, 26
  - HELP, 7, 36
  - name, 8, 36
  - type, 8
- FORTRAN programming language, 8
- Fourier
  - series approximation, 30
  - transform, 9
- Function
  - description of, 26
  - system, 23
- Graph
  - example of, 4, 29, 31, 32, 34
- Graphic
  - display, 43
  - program
    - definition, 28
    - demonstrations, 28, 30, 33
    - programming, 1, 52
    - routine, 9, 28, 30, 33, 34
- HELP feature
  - command, 35
  - description of, 7, 17, 35
  - file
    - creating a, 36
    - description of, 36
- High-level language, 8, 9, 43
- Implementation of algorithms, 50
- Informational error message, 58
- Initialization of diskettes, 17
- INITIALIZE command, 9
- Input of data, 45
- Instruction
  - computer, 7, 8, 43
- Instruments
  - collecting data from, 8, 28
  - external, 2, 5
  - serial ASCII, 37
- Invisibility of programs, 7
- Key
  - arrow, 18
  - special terminal, 17
- Keys
  - CTRL, 18, 55
  - DELETE, 18, 19, 21
  - NO SCROLL, 18, 27, 54
  - RESET, 55
  - RETURN, 18
  - SET-UP, 18, 55
- Keyboard
  - description of, 5, 17
  - illustrations of, 2, 17
- Keypad, 5, 18
- Lamps
  - 1., 14
  - 2., 14, 19, 53
  - LOCAL, 53
  - ON LINE, 53
  - POWER, 14, 54
  - RUN, 14, 19
- Language
  - assembly, 8
  - FORTRAN, 8
  - high-level, 8, 9, 43
  - machine, 8, 43
  - MINC BASIC, 2, 8, 9, 26, 28, 43
  - programming, 8
- Light, see Lamps
- Lissajous figures
  - creating, 38-42
  - definition of, 39
  - examples of, 40, 42
- LISSJU program, 37, 38
- LIST command, 27, 30, 42
- Listing directories, 26
- Loading diskettes, 7, 15, 19
- LOCAL lamp, 53
- LOG function, 23
- Loop, 49
- Machine language, 8
  - programs, 43
- Manuals
  - description of, 1, 10
  - instructions for reading, 51, 52
- Mass storage
  - definition of, 6

## INDEX

- volume, 7
  - directory of, 26
- Master diskettes
  - description of, 16, 19
  - demonstration, 16, 17, 19
  - system, 17
  - user, 17, 36
- Message
  - error
    - compendium, 10, 57
    - definition of, 24, 36, 57
    - environment, 57
    - fatal, 58
    - informational, 58
    - severity, 58
    - unlisted, 59
    - warning, 58
- MINC
  - BASIC, 2, 8, 9, 26, 28, 43
  - Newsletter, 2
  - NFT, 2
  - Product Services Center, 2, 59
- Minicomputer
  - definition of, 5
- MiniMINC
  - computer system, 1
  - diskettes, 16
  - editor, 8
  - equipment, 1, 2
  - halting, 18
  - manuals, 1, 10, 11
  - programming system, 6, 17
  - terminal, 2, 3
- Mode
  - character, 3
  - display, 3
  - strip chart, 9
  - switch
    - system startup, 19
    - illustration of, 37
- Modem, 2
- MODEM port, 38
- Multiple calculations, 24
- Name
  - file, 8, 36
  - owner, 20
- New user
  - features, 52
  - instructions for reading manuals, 51
- Newsletter, 2
- NO SCROLL key, 18, 27, 54
- NORMAL mode, 14, 19
  - program, 44
- OLD command, 42
- ON LINE lamp, 53
- Operation
  - computer, 8, 26
- Optional devices, 11
- Outline
  - program, 45
- Output of data, 45
- Owner name, 20
- PLOT program, 38, 39
- Plotter
  - demonstration, 39-41
- Port
  - description of, 5, 37
- Ports
  - CONSOLE, 38
  - MODEM, 38
  - PRINTER, 38
  - TERMINAL #1, 38
  - TERMINAL #2, 38
  - TERMINAL #3, 38
- POWER
  - lamp, 14, 54
  - routine, 9
- Power switches, 13, 53
- Precision
  - algorithm, 47
  - program, 47
- Preparation of
  - diskette, 9, 17
  - equipment, 10
  - system programs, 14
- PRINT statement, 23, 24
- PRINTER port, 38
- Problem
  - correcting a, 53-55
  - solving a, 26
- Procedure
  - programming, 44-50
  - startup, 13, 22
  - testing, 14
  - text editing, 18
  - troubleshooting, 53-55
    - notifying Digital, 59
- Processing data, 9, 43, 45
- Product Services Center
  - contacting, 59
  - description of, 2
- Program
  - algorithm
    - definition of, 45
    - implementation of, 50
    - summary, 45, 46

- testing, 49
- BASIC, 26
- control, 9, 46, 49
- creating a, 8, 43, 44-50
- definition of, 7, 25, 43, 46
- demonstration
  - BASIC, 26, 27, 44-50
  - description of, 7, 8, 11
  - graphic, 28, 30, 33
  - serial ASCII, 37-39
- executing, 25
- graphic, 28
- loop, 49
- objective, 44
- outline, 45
- precision, 47
- running, 25
- storage, 6, 7
- system
  - description of, 7, 8, 43
  - invisibility, 7
  - preparation of, 14
- types, 25, 43
- user, 7, 8, 43
- Programming
  - language
    - assembly, 8
    - FORTRAN, 8
    - high-level, 8, 9
    - machine, 8
    - MINC BASIC, 2, 8, 9, 10, 26, 28
  - procedure, 44-50
  - system
    - description of, 6, 17, 43
    - startup, 19
- Prompt
  - READY, 22, 25
  - system, 21, 22
- Random access, 5
- READY, 22, 25, 34
- Red type, 21
- REM statement, 39
- Repeat feature, 19
- RESET
  - key, 55
  - mode, 14, 19, 20
- RETURN key, 18, 21, 23
- Routine
  - data processing, 9
  - definition of, 7, 8
  - graphic
    - description of, 3, 9, 28, 30, 33, 34
    - implementation of, 28
  - program control, 9
  - serial ASCII
    - CIN, 38
    - COUT, 38, 39
    - description of, 9, 38
    - SET\_SERIAL, 38, 39
- RS-232C standard, 2, 5, 37
- RUN
  - command, 8, 25, 27, 28, 30, 33, 41
  - lamp, 14, 19
- Running programs, 25
- Screen
  - capacity, 18
  - display modes
    - background, 3
    - scrolling, 3
    - width, 3
  - split, 9
  - demonstration of, 33
- Scrolling
  - description of, 3, 18
  - halting, 18, 27
- Self-test
  - chassis, 14
  - terminal, 11
- Semicolon delimiter, 24
- Sequential access, 6
- Serial
  - ASCII routine
    - CIN, 38
    - COUT, 38, 39
    - definition of, 9, 38
    - SET\_SERIAL, 38, 39
  - line unit(SLU), 5, 37
  - transfer
    - definition of, 5, 37
    - performing, 43
- SET UP
  - key, 18, 53, 55
  - mode, 55
- SET\_SERIAL routine, 38, 39
- Severity of an error, 57
- Shading graphs, 4
  - example of, 33
- Simple calculation, 23
- SIN function, 23
- SLU, see Serial line unit
- SQR function, 23
- Standard
  - RS-232C, 2, 5, 37
- Starting
  - equipment, 13
  - programming system, 19, 22
  - programs, 27
- Statement

## INDEX

- description of, 26
- PRINT, 23
- REM, 39
- symbolic, 8, 43
- Storage
  - program, 7
- Subtraction, 23
- Summary
  - algorithm, 45-49
- Switch
  - mode
    - illustration of, 37
    - system startup, 19, 20
  - power
    - chassis, 13
    - terminal, 13
- Syntax
  - command, 24
- System
  - computer, 1
  - programming, 6, 43
  - startup, 19
- Terminal
  - characteristics, 11
  - functions
    - special key, 17
  - illustration of, 2
  - keyboard, 17
  - power switch, 13, 53
  - self-test instructions, 11
- TERMINAL #1 port, 38
- TERMINAL #2 port, 38
- TERMINAL #3 port, 38
- TEST mode, 14
- Testing
  - algorithms, 46, 49, 50
  - equipment, 52
- Text
  - editing, 18
  - error message, 58
  - HELP files
    - description of, 36
    - requirements for creating, 36
    - use of, 35, 36
- Time
  - 24-hour notation, 22
  - format, 21
  - function, 20
- Transfer of serial ASCII data, 37, 38, 43
- TRIG program, 27
- Troubleshooting procedures, 53-55
- Type
  - file, 8
- Unconditional branch, 46
- Unit
  - drive, 19, 20
  - serial line, 5, 37
- Unlisted error messages, 59
- User
  - diskette, 7, 17, 36
  - master, 17, 36
  - program, 7
- Value
  - assignment of, 24
- Vol id, see Volume identifier
- Volume
  - directory
    - definition of, 26
    - listing, 26
  - identifier(Vol id), 20
  - mass-storage, 7
- Warning error message, 58
- Word
  - data, 37
- Workspace, 26

## READER'S COMMENTS

NOTE: This form is for document comments only. DIGITAL will use comments submitted on this form at the company's discretion. If you require an immediate answer and you are under warranty, call the appropriate MINC Customer Support Center. (The MINC Customer Support Centers are listed in the MINC Newsletter.)

Did you find this manual understandable, usable, and well-organized? Please make suggestions for improvement.

---

---

---

---

---

---

---

---

---

---

Did you find errors in this manual? If so, specify the error and the page number.

---

---

---

---

---

---

---

---

---

---

Please indicate the type of user/reader that you most nearly represent.

- ☐ Assembly language programmer
- ☐ Higher-level language programmer
- ☐ Occasional programmer (experienced)
- ☐ User with little programming experience
- ☐ Student programmer
- ☐ Other (please specify) \_\_\_\_\_

Name \_\_\_\_\_ Date \_\_\_\_\_

Organization \_\_\_\_\_

Street \_\_\_\_\_ Telephone \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip Code \_\_\_\_\_

or  
Country

Do Not Tear — Fold Here and Tape

**digital**



No Postage  
Necessary  
if Mailed in the  
United States

**BUSINESS REPLY MAIL**

FIRST CLASS PERMIT NO. 33 MAYNARD MASS.

POSTAGE WILL BE PAID BY ADDRESSEE

**SOFTWARE PUBLICATIONS**

200 FOREST STREET MR1-2/E37

MARLBOROUGH, MASSACHUSETTS 01752



Do Not Tear — Fold Here and Tape