

Index

A

Abbreviation for PRINT, 3-147
ABS, 3-5
Absolute value, 3-5
Address
 for storage, 3-26
 in memory, 3-199
 redefine starting, 3-45
 starting, 3-45, 3-17
 the highest used by BASIC, 3-26, 3-45
ALARM, 3-6
 setting from BASIC, 3-6
 using wildcards with, 3-6
ALARMS to obtain ALARM settings, 3-8
AND, 2-14, 2-16
Ambiguous file name, 3-59
Antilogarithms, 3-56, 3-109
Arithmetic operations, 2-8, 2-10
Array
 cancelling definitions, 3-52
 dimensioning, 3-47
 erasing, 3-52
 subscripts, 3-47, 3-135
 variables, 2-7, 3-47, 3-135
 subscripts base of, 3-135
 subscripts minimum value of, 3-135
ASC, 3-9
ASCII
 character set, J-1
 code, 3-22, 3-136, 3-186, Appendix J
 code table, 3-136, Appendix J
 format, 3-100, 3-101, 4-4
 option for saving BASIC programs, 4-2
 string, 3-120, 3-122
 value of the first character of a string, 3-9
ATN, 3-10
Audio cassette, 2-26
 connecting, 2-27
 loading from, 2-28, 3-105
 control, 3-123
 saving onto, 2-27
AUTO, 3-12
Auto line numbering, 3-12
AUTO START, 3-13
Autostarting the PX-4, 1-10, 3-6, 3-13

Index-1

B

Back spacing, 1-23
BASIC
 command syntax format, 3-2
 editing lines, 1-17, 1-21, 2-1
 ending, 1-7, 1-9, 3-144, 3-189
 enhancements to, i
 entering from CP/M, 1-1
 entering from the MENU, 1-2
 entering with extended format commands, Chapter 1
 EPSON enhanced PX-4, i
 extensions to, i
 features of, i
 free memory available, 3-66
 garbage collection, 3-66
 installing, iii
 Microsoft, i
 program, 2-1
 program areas of, 1-8, 1-11, 3-111, 3-117
 program area selection, 1-8, 1-11, 3-111
 program menu, 1-8, 3-117
 program names, 1-8, 3-103, 3-117, 3-195
 starting, 1-1, 1-7
 terminated, 1-7, 3-144
BEEP, 3-14
BF (bad file mode) error, 3-27
Binary digits, 3-96
BLOAD, 3-15
Box, 3-96
Brackets, 3-3
BSAVE, 3-16
BS key, 1-23
Buffer
 file output, 3-57, 3-68, 3-115, 3-143, 3-158, Chapter 4
 printer output, 3-112
 random file, 3-115, 3-122
 RS-232C receive, 3-108
Buzzer, 2-24
 BEEP, 3-14
 pitch of sound by 3-178
 duration of sound by, 3-14, 3-178
 to "beep", 4-25
 tone of, 3-178
Byte
 (s), free in RS-232C buffer, 3-108
 free in BASIC, 3-66
 free on disk, 3-48

Index-2

C

Calendar/clock
 date, 3-39
 day of the week, 3-40
 time, 3-194
CALL, 3-17, G-2, G-6
Call
 a machine language subroutine, G-1, G-6
 user defined function, 3-41
Cancel array definitions, 3-52
Change
 filename, 3-125
 microcassette tape, 3-24, 3-124, 3-164
 variables, 3-188
Characters
 special, 3-147
 type declaration, 2-6
 user defined graphics, Appendix F
CDBL, 3-18
CHAIN, 3-19
Chaining and merging BASIC programs, 3-19
Character from ASCII code, 3-22
Checking keyboard input, 3-78, 3-85
CHR\$(X), 3-22
CINT, 3-23
CLOCK, *see* calendar, date, day
CLOSE, 3-27
Close all files, 3-26
CLEAR clears variables and memory space, 3-26
Clock setting, 3-194
CLR key, 1-23
CLS clear screen, 3-29
Code
 ASCII, J-1
 Console Escape Sequences, H-1
Cold start, 1-1, 1-3
 parameters, 1-4
Comma, including, 3-81
Commands in BASIC, 3-1
Command level, 1-12, 3-102, 3-118, 4-127
COM0:, 2-23, B-1
COMMON, 3-19, 3-30
Communication protocol, 5-1
Communication trap, 3-128
Comparison of strings, 2-17
Concatenation of strings, 2-17
Conditional branching, 3-75

Constants
 Double precision numerical, 2-5
 Integer, 2-4
 list of, 3-37
 numeric, 2-4
 single precision numeric, 2-5
 string, 2-14
 substitute, 3-37
 types of, 2-14; 3-37
CONT, 3-32
Control characters, H-1
 see also CTRL and the respective keys
Control key, *see* CTRL
Control signals, 5-1
Converted numbers containing random digits, 3-18
Conversion
 in arithmetic and relational operations, 2-10
 of hexadecimal numbers to decimal, 3-73
 of Logs and Antilogs, 3-109
 of line style, 3-96
 of numbers to integers, 3-23
 of numbers to strings, 3-186
 of numeric expressions, 3-18, 3-23
 of numeric values, 3-34, 3-115, 3-122
 of radians to degrees, 3-10, 3-43
 of single precision to double precision, 3-18
 string to numbers, 3-36, 3-171, 3-198
 to double precision numbers, 3-18, 3-23
 to single precision numbers, 3-23, 3-34
Coordinates
 absolute, 1-20
 character, 1-19
 graphic, 1-20
 relative, 1-20
COPY, 3-33
COS, 3-33
 incorrect values, 3-33
"CP/M", command line, 1-1, 3-142
 return to, 1-9, 3-189
"CP/M", system prompt, 1-1
"CP/M", warm starts, 3-189
CSNG conversion to single precision numbers, 3-34
CSRLIN returns cursor line, 3-35
CTRL, *see also* Control key and the Operating Manual
CTRL key
 with cursor keys, 1-18
 with HELP key, 1-16
 with PF5 key, 1-15
 with STOP key, 1-16
CTRL + ←, scroll window to left, 1-18

CTRL + →, scroll window to right, 1-18
CTRL + ↑, scroll window upward, 1-18
CTRL + ↓, scroll window downward, 1-18
CTRL + A, move to beginning of logical line, 1-23
CTRL + B, move back one word, 1-23
CTRL + C, halt BASIC program execution, 1-15, 1-22
CTRL + E, erase rest of line, 1-23
CTRL + F, move to following word, 1-23
CTRL + H, move cursor to left, 1-23
CTRL + I, move cursor to next tab position, 1-23
CTRL + K, home cursor, 1-21
CTRL + L, clear screen, 1-21
CTRL + M, carriage return
CTRL + R, insert mode, 1-21
CTRL + S, to pause listing, 1-15
CTRL + X, move to end of line, 1-23
CTRL + Z, erase rest of screen, 1-23
CTRL + SCRN, center cursor, 1-18
Cursor keys, 1-22
Cursor
 center, 1-18
 current position, 3-35
 displaying on screen, 3-107
 file access buffer, 3-57
 moving, 3-107
 record length, 3-58
 switch, 3-107
CVI/CVS/CVD convert strings for random access files, 3-36
 see also MKIS/MKS\$/MKD\$, Chapter 4

D

DATA statement for storing data, 3-37
Data
 left-justified, 3-115
 OD(out of data) error, K-6
 read 3-37, 3-168
 right-justified, 3-115
 substitute into variables, 3-161, 3-168
 temporary storage of, 3-57
 transfer of, 3-57

DATES\$, 3-39
DAY, 3-40
Decimal, 2-4
Declaring types variables, 3-44
Defining functions, 3-45
 numerical variables, 3-44

DEF DBL, 3-44
DEF FN, 3-41
DEF INT, 3-44
DEF SNG, 3-44
DEF USR for call machine language subroutines, 3-45
DEL key, 1-21
DELETE, 3-46
Delimiters
 between items, 3-83, 3-85, 3-100, 3-155, 3-207
 explicit, 3-155, 3-207
Derived functions, L-1
Destroy
 contents of files, 3-27
 variables, 3-26, 3-117, 3-173
Device
 names for file descriptors, 2-19
Difference
 between INPUT # and LINE INPUT # , 3-100
 between International Character Sets, J-2
Dimensioning of arrays, 2-7, 3-47
DIM, 3-47
Directory of disk, 3-59
 printing, 3-60
Direct mode, 1-12
Display data in specified format, 3-148
Display screen
 changing size of, 3-205
 changing width of, 3-205
 drawing graphics on, *see* LINE, PRESET, PSET
 hard copy of, 1-15, 3-33
 locating characters on, 3-107
 output to printer, 1-15, 3-33
Division, 2-27
 Integer, 2-28
/0 (division by zero) error, 2-10
Dot
 coordinates, 1-20, 3-95, 3-157
 display, 3-157
 erase, 3-96
 reset, 3-96, 3-145
 return setting of, 3-141
 segment, 3-95
 set, 3-95, 3-157
 set or reset, 3-157
 turn off, 3-141, 3-145
 turn on, 3-157
Double precision, 2-4
Draw
 lines, 3-95
 rectangle, 3-96

Drive name, 2-19
DSKF, 3-48
Duration
 of sound, 3-178
 of power, 3-144

E

EDIT command, 3-49
EDIT Mode, 1-21, 3-49
 cursor keys in, 1-21
 termination, 1-22, 3-49
Editing BASIC lines, 1-21, 2-1
Editor, 1-21
END, 3-50
End
 of file, 3-51
 of program execution, 3-50
EOF, 3-51
ERASE arrays, 3-52
Erase
 dots, 3-95, 3-145
 lines, 3-95
 variables, *see* CLEAR
ERL, 3-53
ERR, 3-55
ERROR, 2-29, 3-54
Error(s)
 codes, 3-54, Appendix K
 in direct mode, 3-53
 interrupted by, 3-32
 messages, 2-29, Appendix K
 numerical table of codes, K-1
 processing routine, 3-53, 3-55, 3-129, 3-169
 recovery procedures, 3-53, 3-54, 3-55, 3-129
 rounding, 3-24
 simulation of, 3-54
 syntax, 3-129
 trapping, 3-53, 3-54, 3-55, 3-129
 user defined, 3-55
Errors
 interrupted by, 3-32
 rounding, 3-24
ESC key, *see also* Operating Manual
 sequences, H-1
Execution
 interrupted, 3-32
 stopping, 3-129
 resume, 3-32, 3-165

EXP, 3-56
Exponentiation, 3-56
Expressions, 3-4

F

FIELD, 3-57
FILES obtaining the disk directory, 3-59
Files, 2-19, 4-1
File(s), 2-4, Chapter 4
 closing, 3-27
 creating, 4-1
 data, 3-103
 disk, 3-108, 4-1
 disk device file, 3-133, Chapter 4
 keeping open while loading a new program, 3-103
 microcassette, 2-24
 name extension, 3-103, 3-118
 number, 2-21, 3-106, 3-108, 3-155, 5-3
 program, 4-1
 random access, 4-13
 sequential, 4-7
FIX, 3-61
FORNEXT, 3-63
Format for communications, 5-3
Format notation of commands
 J or K, 3-4
 X or Y, 3-4
 X\$ or Y\$, 3-4
 abbreviations in, 3-4
 angle brackets, 3-2
 format notation, 3-2
 full stops in, 3-4
 options in, 3-3
 quotation mark, 3-2
 reserved words, 3-2, Appendix I
 square brackets, 3-2
 vertical bars, 3-4
Formatting characters, in international character set, 3-136, 3-154
Free memory available, 3-66
FRE, 3-66
Functions, 2-17
 derived, L-1
 formula for obtaining, 3-43
 inverse trigonometric, 3-43
 user-defined, 3-41

G

Garbage collection, 3-66
GET, 3-68
GOSUB....RETURN, 3-70
GOTO or GO TO, 3-72
Graphic
 commands, see draw, LINE, PSET, PRESET
 screen coordinates, 1-20, 3-141

H

Hexadecimal, 2-4, 3-73
HEX\$, 3-73
Highest precision, 2-5
HOME key, 1-21

I

IF....THEN ELSE, 3-53, 3-55, 3-75
IF....GOTO, 3-75
IMP, 3-80
Indirect mode, 1-12
INKEY\$, 3-78
INP obtaining data from the Input Port, 3-80
INPUT, 3-81
INPUT #, 3-83
INPUT\$, 3-85
Input/Output devices, *see* I/O devices
Input
 all characters, 3-100
 fixed number of characters, 3-85
INS key, 1-21
Inserting characters, 1-21
INSTR, 3-87
INT, 3-23, 3-88
Integer
 errors, 3-24
 expressions, 3-4, 3-87
International character sets, 3-136, 3-154, *see also* Operating Manual
 Denmark, 3-136
 England, 3-136
 France, 3-136
 Germany, 3-136
 Italy, 3-136
 Norway, 3-136
 Spain, 3-136

Sweden, 3-136
U.S.A., 3-136

International currency symbols, 3-137
International formatting characters, 3-154
I/O device support, 3-23
I/O devices, 2-23
 and BASIC commands statements and functions, B-1
 as file descriptors, 2-19, 5-1, A-1
 input/output modes for, 3-133
 range of, 2-19, 2-23
 RAM disk, 2-19, 2-23, 3-103
 RS-232C interface, 2-19, 5-1
 summary table of, 5-1, A-1
I/O operation
 halting, 1-16
 of Micro cassette, 2-4, *see also* Operating Manual
Interruption of BASIC program, 1-15

K

KEY command to set PF keys, 3-89
KEY LIST/KEY LLIST to list PF, 3-89
Keyboard, 1-13
 ASCII, 4-11
 buffer, 3-78, 3-85
 checking for input, 3-78, 3-85
 defining function keys, 3-89
 item, 1-13, 4-11
 modes, 4-12
 Programmable Function Keys, 1-15, 3-89
KILL, 3-91
KYBD:, 3-23, A-1

L

Last Reference Pointer, 3-95, 3-145, 3-157
LEFT\$, 3-92
LEN, 3-93
LET, 3-94
LINE, 3-95
Line
 complete, 3-96
 dashed, 3-96
 draw, 3-95
 feed, 3-208
 style, 3-96
LINE INPUT, 3-98
LINE INPUT #, 3-100

Line numbers, *see* program line numbers
LIST, 3-101
LLIST, 3-102
LOAD, 3-103
LOAD?, 3-105
LOC, 3-106
LOCATE, 3-35, 3-107
LOF, 3-108
LOG, 3-109
logarithm (LOG), 3-109
Logical operation, 2-10, 2-13
LOGIN, 3-111
Logging in to BASIC program areas, 1-8, 3-111
Loops, 3-63, 3-203
LPOS, 3-112
LPRINT / LPRINT USING, 3-113
LRP, 3-95, 3-145, 3-157
LSET, 3-115

M

Machine language

- program area, 3-26
- programs memory for, 3-26
- programs starting address, 3-45
- programs used as subroutines by BASIC, 3-45
- programs, user-written, 3-45
- programs, writing to memory, 3-142
- subroutine, calling, 3-17
- subroutine, parameters for, 3-17
- subroutine, starting address of, 3-17, 3-26

see also USR

Memory

- buffer for random access files, 3-57
- for machine language programs, 3-26
- location, 3-26, 3-140
- map, 3-141, M-1
- OM(out of memory) error, K-6
- write data into, 3-141

MENU, 3-117, 4-17

MENU

- entering BASIC from, 1-2
- setting up to run BASIC programs, 1-4, Operating Manual

MERGE, 3-118

Messages

- "?Redo from start", 3-81
- AC (Tape access error), 3-124
- BF (Bad file mode), 3-27, 3-118
- /0 (Division by zero), 2-10

DD (Duplicate definition), 3-135
FC (Illegal function call), 3-87, 3-111, 3-126, 3-129, 3-139
FE (File already exists), 3-125
FO (Field overflow), 3-57, 3-159
NE (File not exist), 3-59, 3-125
OD (Out of data), 3-161
RW (RESUME without error), 3-169
TM(Type mismatch error), 3-44, 3-188
UL(Undefined line number), 3-72
"Undefined line xxxxx in yyyy", 3-165
MICROCASSETTE drive (Drive H:), 2-24

- counter, 3-193, 3-206
- files on, 2-24
- MOUNT, 3-124, 3-164
 - open mode for, 4-140
 - play mode, 3-206
 - REMOVE, 3-124, 3-164
 - removing tape, 3-164
 - restriction on use, 2-24
 - sound output to speaker, 3-206
 - stop/non-stop modes, 2-25
 - tape directory, 2-24, 3-124, 3-164
 - verify/non-verify modes, 2-25
- WIND, 3-206
- write directory to, 3-164

MID\$, 3-120
MKI\$/MKSS\$/MKD\$, 3-122, *see also* CVI/CVS/CVD
MOD, 2-10
Mode

- continue, 3-144
- trace, 3-196

MOTOR, control audio cassette, 3-123
MOUNT, 3-124, *see also* REMOVE

N

NAME, 3-125

Natural logarithms, 3-109

Nested loops, 3-63, 3-64

NEW, 3-126

Non-stop mode, 2-25

Non Tracking mode, 1-18

- horizontally, 1-18

Non-verify mode, 2-25

NOT, 2-13, 2-16

Null string, 3-78, 3-92, 3-170

Numbers

- hexadecimal, 2-4, 3-73, 3-198
- octal, 2-4, 3-127, 3-198

Numeric

- expressions, 3-4
- constants, 2-4
- value rounding, 3-23
- value whole number, 3-23

O

- Octal, 2-4, 3-127
- OCT\$, 3-127
- ON COM(n) GOSUB....RETURN, 3-128
- ON ERROR GOTO, 3-129
- ON GOSUB/ON GOTO, 3-130
- OPEN, 3-133
- OPEN "I", 2-25
- OPEN "O", 2-25
- OPEN "R", 2-25
- Operations, 2-10
- OPTION BASE, 3-26, 3-135
- OPTION COUNTRY, 3-136
- OPTION CURRENCY, 3-137
- Options
 - ASCII to save BASIC programs as text files, 3-174
 - asterisks as wildcards, 3-6
 - communications "blpscxh", 5-4
 - wildcard, 3-6, 3-59
- OR, 2-14, 2-16
- OUT, 3-138
- Output
 - data to a printer, 3-33, 3-112, 3-113
 - program in memory to devices, 3-174
 - screen to printer 3-33

P

- PAUSE key, 1-16
- PCOPY, 3-139
- PEEK, 3-140
- PF keys, 1-3, 1-15, 3-89
 - setting, *see* KEY
- Physical screen, 1-17
- PI (ratio of circumference to diameter of a circle), 3-10
- POINT, 3-141
- Points of graphic screen, *see* Dot, LINE, PRESET, PSET
- Pointer
 - last reference, 3-95
 - print head, 3-112, 3-143
- POKE, 3-142

POS, 3-143

Position

- of cursor, 3-107, 3-143
- of file output buffer, 3-143
- of print head, 3-143

POWER, 4-144

- ALARM, 3-6, 3-144

Power

- automatically turn off, 3-144
- duration, 3-144
- on and off, 1-9, 3-6, 3-13, 3-144
- switch, 1-9, 3-144
- turn back on, 1-9, 3-144
- turn off, 1-9, 3-144

Precision, single and double, 2-5, 3-36, 3-122, 4-14, 4-16

PRESET, 3-145

PRINT, 3-146

PRINT, abbreviation for, 3-147

PRINT #, 3-155

PRINT USING, 3-148

PRINT # USING, 3-155

Printer

- LPOS, 3-112
- control characters of, 3-112
- column of, 3-190
- list to, 3-102
- output mode for, 3-113
- output to, 3-113
- output screen to, 3-33
- print head pointer, 3-112
- width of, 3-190

Program

- commenting, 3-163
- delete from memory, 3-126
- merge, 3-118
- protect, 3-126, 3-174
- transfer between program areas, 3-139

Programmable Function Keys, 3-89

Program areas, 1-5, 1-11

- currently logged in, 3-117
- executed in, 3-13
- LOGIN to, 1-5, 1-11, 3-111
- no. 3-111, 3-117
- selecting, 1-11, 3-111, 3-117
- titling, 1-8, 3-195
- transfer between, 3-111, 3-139

Program

- error trapping, 3-54, 3-129
- with ASCII codes, 3-22
- branched, 3-70, 3-72, 3-128, 3-129, 3-130

- continuing, 3-33, 3-169
- resuming, 3-54, 3-72, 4-32
- stopping, 1-15, 3-50, 3-184
- using the same data with different, 3-30
- Program lines, 1-12, 2-1
 - maximum length, 2-1
- Program line numbers, 2-1
 - deleting, 3-46, 3-126
 - listing, 3-101, 3-102
 - merging, 3-19, 3-118
 - non-existent, K-9
 - renumbering, 3-165
 - resume execution at a particular, 3-33, 3-169
 - subroutines, 3-70
- Program listings,
 - pausing, 1-15
- PSET, 3-157
- PUT, 3-158, 4-64

Q

- Question mark abbreviation for PRINT, 3-147
- Quotation marks character, 3-83, 3-85, 3-98, 3-100

R

- RAM cartridge, 2-26, 3-103
- RAM disk, 3-103
- Random Access
 - file buffer, 3-57, 3-68, 3-115, 3-158
 - file, field, 3-57
 - record length, 3-57
- RANDOMIZE, 3-160, 3-171
- Random numbers in fixed ranges, 3-171
- READ, 3-161
- REM, 3-163
- REMOTÉ terminal of audio cassette, 2-27, 3-123
- REMOVE, 3-164, *see also* MOUNT
- RENUM, 3-165
- Replace string, 3-120
- Reset screen size, 3-117, 3-205
- RESET, 3-167
- RESTORE, 3-168
- RESUME, 3-169
- Resuming an interrupted program, 3-32
- RETURN key, 1-12, 3-12
- RIGHT\$, 3-170

- RND, 3-171
- ROM Capsules, iii
- ROM cartridge, 2-26, 3-103
- RS-232C, 3-103, 3-173
 - merging program with, 3-118
- RUN, 3-173
- RUN and GOSUB, 3-70

S

- SAVE, 3-174
 - in ASCII format, 3-174
 - with protect option, 3-174
- SCREEN, 3-175
- Screen
 - character coordinates, 1-18
 - graphic coordinates, 1-20
 - dump to printer, 1-15, 3-32
- Screen editor, 1-21
- Screen modes, 1-18
- SCRN: 2-23, B-1
- SCRN key, 1-18, *see also* the Operating Manual
- SCRN DUMP key (CTRL-PF5), 1-15
- Scrolling, 1-18
 - control keys, 1-18
 - modes, 1-18
- Search for a substring, 3-87
- Sequential
 - access devices, 2-24
 - input mode, 3-85
 - output file, 3-155
 - output mode, 3-133
 - open, 3-85, 3-133, 3-155
 - read data into variables from file, 3-85, 3-98
 - read items from, 3-85
- SGN, 3-176
- SIN, 3-177
- Size
 - of BASIC memory, 1-2
 - of CP/M, 1-2
 - of a file, 3-108
 - of virtual screen, 3-205
 - record, 3-108
 - single precision, 2-4
 - stack area, 3-26
- SOUND, 3-178
- SPACE\$, 3-180
- Space on drive, 3-48
- SPC, 3-181

SQR, 3-182
 Stack
 clearing, 3-26
 space, 3-26
 stack area size, 3-26
 STAT, 3-183
 Statements, 3-1
 STOP, 3-184
 STOP key, 1-15, 1-16, 3-185
 CTRL and STOP key, 1-16
 disabling, 3-185
 STOP KEY, 3-185
 Stop mode, 2-25, 2-26
 STR\$, 3-186
 String
 2-byte, 4-byte or 8-byte, 3-36, 3-122
 alarm message, 3-6
 auto start, 3-6
 character, 3-85
 comparisons, 2-17
 concatenation, 2-17
 expressions, 3-4
 first occurrence of, 3-87
 format, 3-148 to 3-154
 joining, 2-17
 justify, 3-116, 3-148
 length of, 3-93
 literals, 3-87
 manipulation, *see* LEN, LEFT\$, MID\$, RIGHT\$
 null, 3-13, 3-87
 numeric to string, 3-186
 operations, 2-17
 prompt, 3-98
 searching, 3-87
 string to numeric, 3-198
 substitute in a, 3-120
 values, 3-36
 variables, 3-18
 STRING\$, 3-187
 Suppress carriage return after INPUT, 3-81
 Subroutines, 3-70
 SWAP, 3-188
 SYSTEM, 1-9, 3-189
 System Display, 1-16, 3-6
 System variables, 3-39, 3-40, 3-194

T

TAB, 3-190
 TAB key, 1-23
 TAN, 3-192
 TAPCNT, 3-193
 TIME alarm, 3-6
 altering, 3-194
 clear alarm or wake, 3-6
 setting, 3-194
 system variable of, 3-6, 3-194
 TIMES\$, 2-6, 3-194
 TITLE, 3-195
 Trigonometric functions, 3-43, *see also* ATN, COS, SIN, TAN
 deriving, Appendix L
 TRON/TROFF, 3-196
 Tracking mode, 1-18
 Trailing spaces, 3-37
 True and False, 2-13, 2-16, 3-75
 Type of variables, 3-44

U

Undefined line number, 3-72
 User defined
 characters, F-1
 error code, 3-54
 function, 3-41
 USR, 3-197

V

VAL, 3-73, 3-198
 Variable name(s)
 type declaration of, 3-44
 array, 2-22, 3-30
 clear all, 3-26
 memory limit, 3-26
 Variables
 passing between programs, 3-30
 resetting all, 3-26
 system, 3-6, 3-39, 3-40, 3-194
 numerical type declaration characters, 2-6
 type declaration of, 2-6, 3-44
 types of, 2-6, 3-37, 3-44
 wildcard, 3-6
 VARPTR, 3-199

Verify-mode, 2-25
Virtual screen, 1-17
Virtual Screen Window, 1-17

W

WAIT, 3-202
WAKE from ALARM setting, 3-6
Warm start, 1-7
WHILE...WEND, 3-203
WIDTH, 1-19, 3-205
WIND ON, 3-206
 OFF, 3-206
Window, 1-17
WRITE, 3-207, B-1
WRITE#, 3-208

X

XOR, 2-14, 2-16

EPSON OVERSEAS MARKETING LOCATIONS

EPSON AMERICA, INC.

2780 Lomita Blvd., Torrance, Calif. 90505,
U.S.A.
Phone: (213)539-9140
Telex: 182412

EPSON DEUTSCHLAND GmbH

Zulpicher Strasse 6, 4000 Düsseldorf 11,
F.R. Germany
Phone: (0211)56030
Telex: 8584786

EPSON UK LTD.

Dorland House, 388 High Road, Wembley,
Middlesex, HA9 6UH, U.K.
Phone: (01)902-8892
Telex: 8814169

EPSON FRANCE S.A.

55, Rue Deguingand, 92300, Levallois-Perret,
France
Phone: (1)739-6770
Telex: 614202

EPSON AUSTRALIA PTY. LTD.

Unit 3, 17 Rodborough Road, Frenchs Forest,
NSW 2086, Australia
Phone: (02)452-5222
Telex: 75052

EPSON ELECTRONICS (SINGAPORE) PTE. LTD.

No. 1 Maritime Square, #02-19, World Trade
Centre Singapore 0409
Phone: 2786071/2
Telex: 39536

EPSON ELECTRONICS TRADING LTD.

30/F, Far East Finance Centre
Harcourt Road, Central, Hong Kong
Phone: 5-282555
Telex: 65542

EPSON ELECTRONICS TRADING LTD. (TAIWAN BRANCH)

1, 8F K.Y. Wealthy Bldg. 206, Nanking, E. Road,
Sec. 2, Taipei, Taiwan R.O.C.
Phone: 536-4339; 536-3567
Telex: 24444

EPSON CORPORATION

80 Hirooka, Shiojiri-shi, Nagano 399-07
Japan
Phone: (0263)52-2552
Telex: 3342-214