

mined a correction is made for the day and if necessary the year. The function FNN of line 40 is used in line 2040 to determine the number of days in the month.

Lines 2000 to 2060 form a similar subroutine to subtract the time.

# Index

## A

- Abbreviation for PRINT, 4-157
- ABS, 4-5
- Absolute value of a number, 4-5
- Address
  - absolute, 4-31
  - for storage, 4-29
  - in memory, 4-215
  - redefine starting, 4-51
  - return, 4-29
  - starting, 4-20, D-1
  - the highest used by BASIC, 4-29, 4-51
- ALARM, 4-6
  - in WAKE mode, 4-8
  - program to switch PX-8 on and off, 4-10
  - setting from BASIC, 4-6
  - using wildcards with, 4-6
- ALARM\$ to obtain ALARM settings, 4-12
- AND, 2-32
- Algebraic and BASIC expressions, 2-28
- Antilogarithms, 4-63, 4-118
- Arithmetic operations, 2-27
- Array
  - cancelling definitions, 4-59
  - dimensioning, 4-53
  - erasing, 4-59
  - subscripts, 4-53, 4-142
  - variables, 4-53, 4-142
  - subscripts base of, 4-142
  - subscripts minimum value of, 4-142
- ASC, 4-13
- ASCII
  - character set, 2-14, F-1
  - code, 2-14, 4-25, 4-145, 4-202, Appendix F, H-1
  - code table, 4-145, Appendix F
  - control code in, 2-15
  - format, 4-108, 4-109, 5-2
  - option for saving BASIC programs, 5-1
  - string, 4-129, 4-131
  - value of the first character of a string, 4-13
- ATN, 2-38, 4-14
- AUTO, 4-16
- Auto line numbering, 4-16

AUTO START, 4-17  
Autostarting the PX-8, 4-17

## B

“Bad file mode” error, 4-32  
Back spacing, 2-4  
BASIC  
    command syntax format, 4-2  
    editing lines, 2-3, 2-7  
    ending, 1-14  
    enhancements to, 1-1  
    entering from CP/M, 1-4  
    entering from the MENU, 1-4  
    entering with extended format commands, Chapter 3  
    EPSON enhanced PX-8, 1-1  
    extensions to, 1-7, 3-1  
    features of, 1-2  
    free memory available, 4-72  
    garbage collection, 4-72  
    installing, 1-3  
    Microsoft, 1-1  
    program, 2-1  
    program areas of, 1-2, 1-8  
    program area selection, 1-8  
    program menu, 1-8  
    program names, 1-4  
    “resident” 1-6, 1-12, 1-13  
    starting, 1-2, 1-4  
    terminated, 1-14  
BEEP, 4-19  
BS key, 2-4  
Binary digits, 2-14, 2-16, 4-102  
Boundary character, 2-44, 2-45, 2-52, 2-53, 2-54  
Box, 4-102  
Buffer  
    file output, 4-64, 4-74, 4-124, 4-152, 4-169, Chapter 3  
    printer output, 4-121  
    random file, 4-124, 4-131  
    RS-232C receive, 4-117  
Byte, 2-14  
    (s), free in RS-232C buffer, 4-117

## C

Calendar/clock  
    date, 4-45  
    day of the week, 4-46  
    time, 4-210  
CALL, 4-20  
Call  
    a machine language subroutine, 4-20  
    user defined function, 4-47  
Cancel array definitions, 4-59  
Change  
    filename, 4-133  
    microcassette tape, 4-132, 4-175  
    variables, 4-204  
Characters special, 4-157  
    user defined graphics, C-12 Appendix H  
CDBL, 4-21  
CHAIN, 4-22, 4-35  
Chaining and merging BASIC programs, 4-22  
Character from ASCII code, 4-25  
Checking keyboard input, 4-84, 4-91  
CHR\$(X), 4-25  
CINT, 2-37, 4-26  
CLOCK, *See* calendar, date, day  
CLOSE, 2-60, 4-32  
Close all files, 4-29  
CLEAR clears variables and memory space, 4-29  
Clock setting, 4-210  
CLR key, 2-5  
CLS clear screen command, 4-34  
Code  
    ASCII, F-1  
    Console Escape Sequences, C-1  
Cold start, 1-11  
Comma including, 4-87  
Commands in BASIC, 2-1, 4-1  
Command level, 1-9, 4-110, 4-127  
COM0: 2-39, 2-57  
COMMON, 4-22, 4-35  
Communication protocol, 6-1  
Comparison of strings, 2-35  
Concatenation of strings, 2-35  
Conditional branching, 4-81  
CONFIG, 1-2, 1-4, 2-57  
Constants  
    Double precision numerical, 2-19  
    Fixed point, 2-18

Floating point, 2-18  
 Integer, 2-18  
 list of, 4-43  
 numeric, 2-18  
 single precision numeric, 2-19  
 string, 2-18  
 substitute, 4-43  
 types of, 2-18, 4-43  
 CONT, 4-36  
 Control characters, 2-15  
   *see also* CTRL and the respective keys  
 Control key, *see* CTRL  
 Converted numbers containing random digits, 2-23, 4-21  
 Conversion  
   for logical operations, 2-25  
   in arithmetic and relational operations, 2-24  
   of floating point numbers to integers, 2-25  
   of hexadecimal numbers to decimal, 4-79  
   of Logs and Antilogs, 4-118  
   of line style, 4-102  
   of numbers to integers, 4-26  
   of numbers to strings, 4-202  
   of numeric expressions, 2-23, 4-21, 4-26  
   of numeric values, 4-39, 4-124, 4-131  
   of radians to degrees, 4-14, 4-49  
   of single precision to double precision 2-25, 4-21  
   problems arising from, 2-23, 2-26, 4-83  
   string to numbers 4-42, 4-183, 4-214  
   to double precision numbers 4-21, 4-26  
   to single precision numbers 4-26, 4-39  
 Coordinates  
   absolute screen, 4-101  
   graphic, 2-48, 2-49, 4-101, 4-150, 4-155, 4-167  
 COPY, 4-37  
 COS, 2-38, 4-38  
   incorrect values 4-38  
 "CP/M", command line, 1-4, 4-151  
   return to, 1-14, 4-205  
 "CP/M", system prompt, 1-4  
 "CP/M", warm starts, 4-205  
 CSNG conversion to single precision numbers, 4-39  
 CSRLIN returns cursor line, 4-40  
 CTRL, *see also* Control key and the User's Manual  
 CTRL key  
   with cursor keys, 2-51  
   with HELP key, 1-17  
   with INS key, 2-52  
   with PF5 key, 1-15  
   with STOP key, 1-17

CTRL + ← switch to virtual screen 1, 2-6  
 CTRL + → switch to virtual screen 2, 2-6  
 CTRL + ↑ in edit mode, 2-7  
 CTRL + ↓ in edit mode, 2-8  
 CTRL + A, move to beginning of logical line, 2-4, 2-9  
 CTRL + B, move back one word, 2-4  
 CTRL + C, halt BASIC program execution, 1-17  
 CTRL + E, erase rest of line, 2-5  
 CTRL + F, move to following word, 2-4  
 CTRL + G, sound speaker  
 CTRL + H, move cursor to left  
 CTRL + I, move cursor to next tab position  
 CTRL + J, divide logical line, 2-4, 2-10  
 CTRL + K, home cursor  
 CTRL + L, clear screen  
 CTRL + M, carriage return  
 CTRL + R, insert mode, 2-5  
 CTRL + S, to pause listing, 1-16  
 CTRL + U, moves to virtual screen 2  
 CTRL + W, moves to virtual screen 1  
 CTRL + X, move to end of line, 2-4, 2-9  
 CTRL + Z, erase reset of screen, 2-5, 2-11  
 Cursor keys, 2-3  
 Cursor  
   current position, 4-40  
   displaying on screen, 4-115  
   file access buffer, 4-64  
   record length, 4-65  
   switch, 4-115  
 CVI/CVS/CVD convert strings for random access files, 4-42, 4-131  
*see also* MKIS/MKSS/MKD\$, Chapter 5

## D

DATA statement for storing data, 4-43  
 Data  
   left-justified, 4-125  
   "Out of data" error, A-6  
   read 4-43, 4-179  
   right-justified, 4-125  
   substitute into variables, 4-172, 4-179  
   temporary storage of, 4-64  
   transfer of, 4-64  
   types of, 2-14  
   word length, 6-4, 6-5, 6-12

DATE\$, 4-45  
Date incorrect day, 4-46  
DAY, 4-46  
Decimal, 2-16  
Declaring types variables, 4-50  
Defining functions, 4-47  
    numerical variables, 4-50  
DEFDBL, 4-50  
DEF FN, 4-47  
DEF INT, 4-50  
DEF SNG, 4-50  
DEF USR for call machine language subroutines, 4-51  
DEL key, 2-5  
DELETE, 4-52  
Delimiters  
    between items, 4-89, 4-91, 4-108, 4-165, 4-226  
    explicit 4-165, 4-226  
Derived functions, E-1  
Destroy  
    contents of files, 4-32  
    variables, 4-29, 4-126, 4-184  
Device  
    names for file descriptors, 2-39  
Difference  
    between INPUT# and LINE INPUT# , 4-108  
    between International Character Sets, F-2  
Dimensioning of arrays, 2-22, 4-53  
DIM, 2-22, 4-53, 4-59  
Directory of disk, 4-66  
    printing, 4-67  
Direct mode, 1-9  
Display data in specified format, 4-158  
Display screen  
    changing mode of, 4-186  
    changing width of, 4-186, 4-221  
    drawing graphics on, *see* LINE, PRESET, PSET  
    hard copy of, 1-17, 4-37  
    locating characters on, 4-115  
    output to printer", 1-17, 4-37  
Division, 2-27  
    Integer, 2-28  
"Division by zero" error, 2-29  
Dot  
    coordinates, 4-101, 4-167  
    display, 4-167  
    erase, 4-102  
    reset, 4-102, 4-155  
    return setting of, 4-150  
    segment, 4-101

set, 4-101, 4-167  
set or reset, 4-167  
turn off, 4-155  
turn on, 4-167

Draw  
    lines, 4-101  
    rectangle, 4-102  
Drive name, 1-4  
DSKF, 2-60, 4-54

## E

EDIT command, 2-7, 4-55  
EDIT Mode, 2-7, 4-55  
    cursor keys in, 2-7  
    termination, 2-7, 4-55  
Editing BASIC lines, 2-3 to 2-13  
    practical guide, 2-9 to 2-13  
Editor, 2-3  
END, 4-57  
End  
    of file, 4-58  
    of program execution, 4-57  
EOF, 2-60, 4-58  
EQV, 2-32  
ERASE arrays, 4-59  
Erase  
    dots, 4-101, 4-102, 4-155  
    lines, 4-101  
    variables, *see* CLEAR  
ERL, 4-60  
ERR, 4-61  
ERROR, 4-62  
Error(s)  
    codes, 4-61, Appendix A  
    fatal, A-2  
    in direct mode, 4-60  
    interrupted by, 4-36  
    messages, 2-61, Appendix A  
    numerical table of codes, A-10  
    processing routine, 2-61, 4-60, 4-62, 4-136, 4-180  
    recovery procedures, 4-60, 4-61, 4-62, 4-136  
    rounding, 4-27  
    simulation of, 4-62  
    syntax, 4-136  
    trapping, 4-60, 4-61, 4-62, 4-136  
    user defined, 4-62

Errors  
interrupted by, 4-36  
rounding, 4-27  
ESC key see also User's Manual  
in edit mode, 2-7  
sequences, C-1  
Execution  
interrupted, 4-36  
stopping, 4-136  
resume, 4-36  
EXP, 4-63  
Exponentiation, 2-27, 4-63  
Expressions, 2-27

## F

FIELD, 4-64  
FILES obtaining the disk directory, 4-66  
Files, 2-39  
File(s) CHAPTER 5  
closing, 4-32  
creating, 5-1  
data, 4-112  
disk, 4-117, 5-1  
disk device file, 4-140, Chapter 5  
keeping open while loading a new program, 4-112  
microcassette, 5-1  
name extension, 4-112, 4-127  
number, 2-40, 4-64, 4-89, 4-91, 4-114, 4-165, 6-2  
program, 5-1  
random access, 5-9  
sequential, 5-3  
FIX, 2-37, 4-26, 4-68  
Fixed point constants, 2-18  
Floating point constants, 2-18  
FOR .....NEXT, 4-69  
Format for communications, 6-4  
Format notation of commands  
J or K, 4-4  
X or Y, 4-4  
X\$ or Y\$, 4-4  
abbreviations in, 4-4  
angle brackets, 4-2, 4-3  
format notation, 4-2  
full stops in, 4-4  
options in, 4-3  
quotation mark, 4-2  
reserved words, 4-2

square brackets, 4-2  
vertical bars, 4-4  
Formatting characters, in international character set, 4-143, 4-164  
FRE, 4-72  
Functions, 2-37  
derived, E-1  
formula for obtaining, 4-49  
inverse trigonometric, 4-49  
user-defined, 4-47

## G

Garbage collection, 4-72, H-15  
GET, 2-60, 4-64, 4-74  
GOSUB....RETURN, 4-76  
GOTO or GO TO, 4-78  
Graphic  
commands, see draw, LINE, PSET, PRESET  
mode, 4-101, 4-155, 4-167  
screen coordinates, 2-49, 4-150

## H

Hexadecimal, 2-16, 4-79  
HEX\$, 4-79  
HOME key, 2-4

## I

IF....THEN .... ELSE, 2-30, 2-32, 4-61, 4-62, 4-81  
IF....THEN .... GOTO, 4-81  
IMP, 2-32  
Indirect mode, 1-9, 1-10  
INKEY\$, 4-84  
INP obtaining data from the Input Port, 4-86  
INPUT, 2-6, 4-87  
INPUT #, 2-60, 4-89  
INPUT\$, 4-91  
Input/Output devices *see* I/O devices  
Input  
all characters, 4-108  
fixed number of characters, 4-91

INS key, 2-5  
Inserting characters, 2-5  
INSTR, 4-93  
INT, 2-37, 4-26, 4-94  
Integer  
    division symbol, 2-28  
    errors, 4-26  
    expressions, 4-4, 4-93  
    ways of obtaining, 2-37, 4-26  
International character sets, F-2, *see also* User's Manual  
    Denmark, 2-14, 4-143, F-2  
    England, 2-14, 4-143, F-2  
    France, 2-14, 4-143, F-2  
    Germany, 2-14, 4-143, F-2  
    Italy, 2-14, 4-143, F-2  
    Norway, 2-14, 4-143, F-2  
    Spain, 2-14, 4-143, F-2  
    Sweden, 2-14, 4-143, F-2  
    U.S.A., 2-14, 4-143, F-2  
International currency symbols, 4-145  
International formatting characters, 4-164  
I/O device support, 2-56  
I/O devices  
    and BASIC commands statements and functions, 2-60  
    as file descriptors, 2-39, 2-56, 2-60  
    input/output modes for, 4-140  
    range of, 2-39, 2-60  
    RAM disk, 4-112  
    RS-232C interface, 6-1  
    summary table of, 2-60  
Interruption of BASIC program, 1-17

## K

KEY command to set PF keys, 4-95  
KEY LIST/KEY LLIST to list PF, 4-95  
Keyboard  
    buffer, 4-84, 4-91  
    checking for input, 4-84, 4-91  
    defining function keys, 4-95  
    display of key definitions, 4-186  
    input of data from, 6-14  
    Programmable Function Keys, 1-15, 4-95  
KILL, 4-97  
KYBD: 2-39, 2-57, 2-60

## L

Last Reference Pointer, 4-101, 4-155, 4-167  
LEFT\$, 4-98  
LEN, 4-99  
LET, 4-100  
LINE, 4-101  
Line  
    complete, 4-102  
    dashed, 4-102  
    draw, 4-101  
    feed, 4-226  
    logical, 2-3  
    style, 4-101  
LINE INPUT, 2-6  
LINE INPUT #, 2-60, 4-108  
Line numbers *see* program line numbers  
LIST, 2-60, 4-109  
LLIST, 4-111  
LOAD, 2-60, 4-112  
LOC, 2-60, 4-114  
LOCATE, 4-40, 4-115  
LOF, 2-60, 4-117  
LOG, 4-63, 4-118  
logarithm (LOG), 4-118  
Logical line, 2-3  
Logical operation, 2-32  
LOGIN, 4-120  
Logging in to BASIC program areas, 1-8  
Loops, 4-69, 4-218, 4-219  
Losing programs, 1-5, 1-7, 1-3  
LPOS, 4-121  
LPRINT LPRINT USING, 4-122  
LRP, 4-101, 4-155, 4-167  
LSET, 4-124

## M

Machine code  
    area, 4-29  
    program, 4-29  
Machine language  
    programs memory for, 4-29  
    programs starting address, 4-51  
    programs used as subroutines by BASIC, 4-51  
    programs, user-written, 4-51  
    programs, writing to memory, 4-151

subroutine, Appendix D  
subroutine, calling, 4-20  
subroutine, parameters for, 4-20  
subroutine, starting address of, 4-20, 4-29  
*see also* USR

#### Memory

buffer for random access files, 4-64  
destruction of data in, D-1  
for machine language programs, 4-29  
location, 4-29, 4-149  
map, 4-151, G-1  
"Out of memory" error, A-7  
upper boundary, 4-29  
write data into, 4-151

MENU, 4-17, 4-126

#### MENU

entering BASIC from, 1-4 to 1-6  
setting up to run BASIC programs, 1-7, User's Manual

MERGE, 4-127

#### Messages

"?Redo from start", 4-87  
"Bad file mode", 4-32, 4-127  
"Division by zero", 2-29  
"Duplicate definition", 4-142  
"Field overflow", 4-65, 4-170  
"File already exists", 4-133  
"File not found", 4-66, 4-133  
"Illegal function call", 4-93, 4-120, 4-134, 4-137, 4-147  
"Out of data", 4-172  
"Overflow", 2-29  
"RESUME without error", 4-180  
"Tape access error", 4-132, 5-14, 5-16  
"Type mismatch error" 4-50, 4-204  
"Undefined line number" 4-78  
"Undefined line xxxxx in yyyy", 4-176

#### MICROCASSETTE drive (Drive H:)

counter, 4-209, 4-224  
files on, 5-1  
MOUNT, 4-132, 4-175  
open mode for, 4-140  
play mode, 4-224  
REMOVE, 4-132, 4-175  
removing tape, 4-175  
restriction on use, 5-14  
sound output to speaker, 4-224  
tape directory, 4-132, 4-175  
WIND, 4-224  
write directory to, 4-175

MID\$, 4-129

MKIS/MKSS/MKDS\$, 4-131  
MOD, 2-27  
Modulus arithmetic, 2-27, 2-28  
Mode  
    continue, 4-153  
    screen, *see* SCREEN  
    trace, 4-212  
MOUNT, 4-132, 4-175

## N

NAME, 4-133  
Natural logarithms, 4-118  
Nested loops, 4-69, 4-70  
NEW, 4-134  
Non Tracking mode, 2-46  
NOT, 2-32  
Null string, 4-84, 4-98, 4-181  
Numbers  
    binary, 2-33  
    hexadecimal, 2-16, 4-79, 4-214  
    octal, 2-16, 4-135, 4-214  
Numeric  
    expressions, 4-4  
    constants, 2-18  
    data, 2-16  
    value rounding, 4-26  
    value whole number, 4-26  
Octal, 2-16, 4-135  
OCT\$, 4-135  
ON ERROR GOTO, 4-136  
ON GOSUB/ON GOTO, 4-137  
OPEN, 4-140  
OPEN "I", 2-60  
OPEN "O", 2-60  
OPEN "R", 2-60  
Operations, 2-27  
    relational, 2-30  
OPTION BASE, 4-142  
OPTION COUNTRY, 4-143  
OPTION CURRENCY, 4-145  
Options  
    ASCII to save BASIC programs as text files, 5-1

asterisks as wildcards, 4-6  
communications "blpscxh", 6-4  
wildcard, 4-6, 4-66

OR, 2-32

OUT, 4-146

Output

data to a printer, 4-37, 4-121, 4-122  
program in memory to devices, 4-185  
screen to printer 4-37 "Overflow error", 2-29

## P

PAUSE key, 1-16

PCOPY, 4-147

PEEK, 4-149

PF keys, 1-15, 1-16

setting, *see* KEY, 4-95

PI (ratio of circumference to diameter of a circle), 4-14

POINT, 4-150

Points of graphic screen *see* Dot, LINE, PRESET, PSET

Pointer

last reference, 4-101  
print head, 4-121, 4-152

POKE, 4-151

POS, 2-60, 4-152

Position

of cursor, 4-152  
of file output buffer, 4-152  
of print head, 4-152

POWER, 4-153

ALARM, 4-153

Power

automatically turn off, 4-153  
duration, 4-153  
on and off, 4-153  
switch, 4-153  
turn back on, 4-153  
turn off, 4-153

Practical Guide to the Screen Modes, 2-50

Precision single and double, 4-42

PRESET, 4-155

PRINT, 4-156

PRINT abbreviation for, 4-157

PRINT #, 2-60, 4-165

PRINT USING, 4-158

PRINT # USING, 2-60, 4-165

Printer

LPOS, 4-121

control characters of, 4-121

column of, 4-206

list to, 4-111

output mode for, 4-140

output to, 4-122

output screen to, 4-37

print head pointer, 4-121

width of, 4-206

Program

commenting, 4-174

delete from memory, 4-134

merge, 4-127

protect, 4-134, 4-211

transfer between program areas, 4-147

Programmable Function Keys, 1-15

Program areas, 2-2

being resident in, 4-9, 4-17, 4-147

currently logged in, 4-126

executed in, 4-17

LOGIN to, 1-8, 4-120

no. 4-120, 4-147

selecting, 2-2, 4-120, 4-126

titling, 2-2, 4-211

transfer between, 4-120, 4-147

Program

error trapping, 4-60, 4-136

with ASCII codes, 4-25

branched, 4-76, 4-78, 4-136, 4-137

continuing, 4-180

resuming, 4-36, 4-60, 4-78

stopping, 4-57, 4-200

using the same data with different, 4-35

Program lines, 2-1

maximum length, 2-1

Program line numbers, 2-1

deleting, 4-52, 4-134

listing, 4-109, 4-111

merging, 4-24, 4-127

non-existent, A-5

renumbering, 4-176

resume execution at a particular, 4-36, 4-180

subroutines, 4-76

Program listings,

pausing, 1-16

PSET, 4-167

PUT, 2-60, 4-64, 4-169

PX-8 BASIC features of

## Q

Question mark abbreviation for PRINT, 4-157  
Quotation marks character, 4-89, 4-91, 4-106

## R

Random Access  
  devices, 2-56  
  file buffer, 4-64, 4-74, 4-124, 4-169  
  file, field, 4-64  
  record length, 4-64  
RANDOMIZE, 4-83, 4-171  
Random numbers in fixed ranges, 4-182  
READ, 4-172  
Real Screen, 2-41  
REM, 4-174  
REMOVE, 4-175  
RENUM, 4-176  
Replace string, 4-129  
Reset screen mode and size, 4-127, 4-186  
RESET, 4-178  
RESTORE, 4-179  
RESUME, 4-180  
Resuming an interrupted program, 4-36  
RETURN key, 1-14, 2-5  
RIGHT\$, 4-181  
RND, 4-182  
ROM Capsules, 2-60  
RUN, 4-184  
RUN and GOSUB, 4-76

## S

SAVE, 2-60, 4-185  
SCREEN, 4-186, 4-189  
Screen  
  character coordinates, 2-48  
  graphic coordinates, 2-49  
  dump to printer, 1-17, 4-37  
SCREEN command, 2-50 to 2-55, 4-186  
Screen Editor, 2-3  
Screen Modes, 2-42  
  practical guide, 2-50  
Screen Mode 0 (80 column text screen mode), 2-43, 2-51, 4-186 to 4-188  
Screen Mode 1 (39 column text screen mode) 2-43, 4-186 to 4-188

Screen mode 2 (split screen mode), 2-45, 4-186 to 4-188  
Screen mode 3 (graphics mode), 2-46, 4-101, 4-186 to 4-188  
SCRN: 2-39, 2-57  
SCRN key, 2-49, 2-52, 2-54 *see also* the User's Manual  
SCRN DUMP key (CTRL-PF5), 1-17  
Scrolling control  
Search for a substring, 4-93  
Secret mode, C-2, C-4  
Sequential  
  access devices, 2-57  
  input mode, 4-89  
  output file, 4-165  
  output mode, 4-140  
  open, 4-89, 4-140, 4-165  
  read data into variables from file, 4-89, 4-108  
  read items from, 4-89  
SGN, 4-190  
SIN, 2-38, 4-191  
Size  
  of a file, 4-117  
  record, 4-117  
  stack area, 4-29  
SOUND, 4-192  
SPACES\$, 4-195  
Space on drive, 4-54  
Speaker, 2-58  
  in ALARM, 4-6  
  BEEP, 4-19  
  frequency of sound by, 4-19, 4-192  
  length of sound by, 4-19, 4-192  
  to "beep", 4-25  
  tone of, 4-19, 4-192  
Speeding up programs with garbage collection, 4-72  
SPC, 4-196  
SQR, 4-197  
Stack  
  clearing, 4-29  
  space, 4-29  
  stack area size, 4-29  
STAT, 4-198  
Statements, 2-1  
STOP, 4-200  
STOP key, 1-17, 2-5, 4-36  
  CTRL and STOP key, 1-17  
  disabling, 1-17, 4-201  
STOP KEY, 4-201  
STR\$, 4-202  
String  
  2-byte, 4-byte or 8-byte, 4-42, 4-131

alarm message, 4-6, 4-12  
auto start, 4-17  
character, 4-91  
comparisons, 2-35  
concatenation, 2-35  
expressions, 4-4  
first occurrence of, 4-93  
format, 4-158 to 4-164  
joining, 2-35  
justify, 4-125, 4-158  
length of 4-99  
literals, 4-93  
manipulation *see* LEN, LEFT\$, MID\$, RIGHT\$  
null, 4-13, 4-93  
numeric to string, 4-202  
operations, 2-35  
prompt, 4-106  
searching, 4-93  
string to numeric, 4-214  
substitute in a, 4-129  
values, 4-42  
variables, 4-21

STRING\$, 4-203  
Suppress carriage return after INPUT, 4-87  
Subroutines, 4-76  
SWAP, 4-204  
Switching the PX-8 on and off under program control, 4-10  
SYSTEM, 4-205  
System Display, 1-12, 1-17  
System variables, 4-45, 4-46

## T

TAB, 4-206  
TAB key, 2-3  
TAN, 2-38, 4-208  
TAPCNT, 4-209  
TIME alarm, 4-6  
    altering, 4-10, 4-210  
    clear alarm or wake, 4-10  
    control of, 4-10  
    setting, 4-6, 4-210  
    system variable of, 4-6

TIME\$, 4-12, 4-210  
    specified, 4-12  
TITLE, 4-211  
Trigonometric functions, 2-38, *see also* ATN, COS, SIN, TAN  
    deriving, Appendix E  
TRON/TROFF, 4-212  
Two's complement binary number, 2-33  
Tracking mode, 2-47  
Trailing spaces, 4-43  
True and False, 2-30, 4-83  
Type of variables, 4-50

## U

Undefined line number, 4-78  
User defined  
    characters, C-12, H-1  
    error code, 4-61  
    function, 4-47  
USR, 4-213

## V

VAL, 4-79, 4-214  
Variable name(s)  
    type declaration of, 4-50  
    array, 2-22, 4-35  
    clear all, 4-29  
    destroyed, 4-30  
    memory location for, 4-29  
Variables  
    passing between programs, 4-35  
    resetting all, 4-29  
    system, 4-6, 4-45  
    numerical type declaration characters, 2-21  
    type declaration of, 2-21, 4-50  
    types of, 2-21, 4-43, 4-50  
    wildcard, 4-6  
VARPTR, 4-215  
Virtual screen, 2-41, 4-186, 4-189  
    changing 2-50, 4-186  
    clear, 2-51, 4-34  
Virtual Screen Window, 2-42, 4-40, 4-186

## W

WAIT, 4-218  
WAKE from ALARM setting, 4-8  
Warm start, 1-11  
WHILE...WEND, 4-219  
WIND ON, 2-58, 4-224  
OFF, 4-224  
WIDTH, 2-60, 4-221  
    in SCREEN command 2-50, 2-52, 2-54, 4-186 to 4-188  
WRITE, 2-60, 4-225  
WRITE #, 4-226

## X

XOR, 2-32

### EPSON OVERSEAS MARKETING LOCATIONS

---

#### EPSON AMERICA, INC.

3415 Kashiwa Street  
Torrance, CA 90505 U.S.A.  
Phone: (213) 539-9140  
Telex: 182412

#### EPSON UK LTD.

Dorland House  
388 High Road,  
Wembley, Middlesex, HA9 6UH, U.K.  
Phone: (01) 902-8892  
Telex: 8814169

#### EPSON DEUTSCHLAND GmbH

Am Seestern 24  
4000 Düsseldorf 11  
F.R. Germany  
Phone: (0211) 5952-0  
Telex: 8584786

#### EPSON ELECTRONICS (SINGAPORE) PTE. LTD.

No.1 Maritime Square, #02-19  
World Trade Centre  
Singapore 0409  
Phone: 2786071/2  
Telex: 39536

#### EPSON ELECTRONICS TRADING LTD.

Room 411, Tsimshatsui Centre,  
East Wing, 66, Mody Road  
Tsimshatsui Kowloon, Hong Kong  
Phone: 3-694343/4  
    3-7213427  
    3-7214331/3  
Telex: 34714

#### EPSON ELECTRONICS TRADING LTD. TAIWAN BRANCH

1,8F K.Y. Wealthy Bldg. 206, Nanking  
E. Road, Sec, 2, Taipei, Taiwan, R.O.C.  
Phone: 536-4339  
    536-3567  
Telex: 24444

#### EPSON FRANCE S. A.

114, Rue Marius AUFAN  
92300 Levallois-perret  
France  
Phone: (1) 758-77-00  
Telex: 614169

#### EPSON AUSTRALIA PTY. LTD.

Unit 3, 17 Rodborough Road  
Frenchs Forest, NSW 2086  
Australia  
Phone: (02) 452-5222  
Telex: (71) 75052